



US00D439538S

(12) **United States Design Patent**  
**Lynch**

(10) **Patent No.:** **US D439,538 S**

(45) **Date of Patent:** **\*\* Mar. 27, 2001**

(54) **FIRE DETECTION SYSTEM**

D. 426,482 \* 6/2000 Sakusai et al. .... D10/106

(76) Inventor: **Adam Q. Lynch**, 2610 Tilton Ct.,  
Orlando, FL (US) 32835

\* cited by examiner

(\*\*) Term: **14 Years**

*Primary Examiner*—Marcus A. Jackson  
(74) *Attorney, Agent, or Firm*—Dale J. Ream

(21) Appl. No.: **29/128,078**

(57) **CLAIM**

(22) Filed: **Aug. 17, 2000**

The ornamental design for a fire detection system, as shown and described.

(51) **LOC (7) Cl.** ..... **10-05**

(52) **U.S. Cl.** ..... **D10/106**

(58) **Field of Search** ..... D10/104, 106,  
D10/116, 121; 340/571, 572, 573, 628,  
629, 630

**DESCRIPTION**

FIG. 1 is a perspective view of a fire detection system showing my new design;

FIG. 2 is a top view thereof;

FIG. 3 is a bottom view thereof; and,

FIG. 4 is a side view thereof, each side being a mirror image of the others.


(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D. 395,614 \* 6/1998 Denoon-Stevens ..... D10/106

D. 396,820 \* 8/1998 Wallace ..... D10/106

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4