



US00D439784S

(12) **United States Design Patent**
Throne

(10) **Patent No.:** **US D439,784 S**

(45) **Date of Patent:** **** Apr. 3, 2001**

(54) **TAILLESS VANE FOR USE IN COVERINGS FOR ARCHITECTURAL OPENINGS**

5,012,552	5/1991	Wulf .	
5,101,876	4/1992	Zak .	
5,141,042 *	8/1992	Schwaegerie	160/236
5,196,000	3/1993	Clear et al. .	
5,203,394	4/1993	Hailey .	

(75) **Inventor:** **Jason T. Throne**, Steamboat Springs, CO (US)

(List continued on next page.)

(73) **Assignee:** **Hunter Douglas Inc.**, Upper Saddle River, NJ (US)

FOREIGN PATENT DOCUMENTS

(**) **Term:** **14 Years**

387188	3/1940	(CA) .	
837171	4/1952	(DE) .	
2644354	8/1978	(DE)	160/236
2920323	11/1980	(DE) .	
3207850	9/1983	(DE) .	
3312988	10/1984	(DE) .	
9001429	5/1990	(DE) .	
288937	7/1987	(EP) .	
469695	2/1992	(EP) .	
623832	5/1949	(GB) .	
2275074	8/1994	(GB) .	

(21) **Appl. No.:** **29/128,537**

(22) **Filed:** **Aug. 25, 2000**

Related U.S. Application Data

(62) Division of application No. 09/256,129, filed on Feb. 24, 1999, which is a continuation of application No. 08/853,307, filed on May 8, 1997, now Pat. No. 5,960,850, which is a continuation of application No. 08/437,959, filed on May 10, 1995, now abandoned.

OTHER PUBLICATIONS

(51) **LOC (7) Cl.** **06-10**

Spanish Disclosure No. 144292 dateds Dec. 26, 1968 (no translation available).

(52) **U.S. Cl.** **D6/580**

Primary Examiner—Mitchell Siegel

(58) **Field of Search** D6/575, 578, 580;
160/178.1, 236, 168.1, 84.06, 84.1, 900,
330, 348

(74) *Attorney, Agent, or Firm*—Dorsey & Whitney LLP

(56) **References Cited**

(57) **CLAIM**

U.S. PATENT DOCUMENTS


I claim the ornamental design for a tailless vane for use in coverings for architectural openings, as shown and described.

2,169,873 *	8/1939	Clark, Jr.	160/178.1
2,326,454 *	8/1943	Gentile	160/236
2,757,727 *	8/1956	Findell	160/168.1
3,844,330	10/1974	Hyman .	
3,851,699	12/1974	Shapiro .	
3,946,789	3/1976	Ronkholz-Tolle .	
4,352,384	10/1982	McCoy, Jr. .	
4,434,834	3/1984	Ennes .	
4,466,476	8/1984	Fairbanks	160/330
4,519,435	5/1985	Stier .	
4,535,828	8/1985	Brockhaus .	
4,846,243 *	7/1989	Schneider	160/84.1
4,893,667	1/1990	Dunn	160/236
4,911,220	3/1990	Hiller .	
4,930,562	6/1990	Goodman .	

DESCRIPTION

FIG. 1 is an isometric view of a first embodiment of the tailless vane for use in coverings for architectural openings. FIG. 2 is a top plan view of the vane shown in FIG. 1, with a bottom plan view being a mirror image thereof. FIG. 3 is a right end elevation of the vane of FIG. 1. FIG. 4 is a left end elevation of the vane of FIG. 1. FIG. 5 is a front elevation of the vane of FIG. 1; and, FIG. 6 is a rear elevation of the vane of FIG. 1.

1 Claim, 2 Drawing Sheets



US D439,784 S

Page 2

U.S. PATENT DOCUMENTS						
			5,603,369	*	2/1997	Colson et al. 160/84.06
			5,749,404		5/1998	Colson 160/84.04
5,255,940	10/1993	Kornblum et al. .	5,797,442	*	8/1998	Colson et al. 160/236
5,271,447	12/1993	Aronovich .	5,960,850	*	10/1999	Colson et al. 160/236
5,297,607	3/1994	Beauchamp .	6,095,227	*	8/2000	Colson et al. 160/168.1
5,358,024	10/1994	Schwaegerle .				
5,490,553	*	2/1996	Colson et al.			160/84.06 * cited by examiner




Fig. 1




Fig. 3




Fig. 2




Fig. 4




Fig. 5




Fig. 6