



US00D439853S

(12) **United States Design Patent**
Aiello et al.

(10) **Patent No.: US D439,853 S**

(45) **Date of Patent: ** *Apr. 3, 2001**

(54) **MULTI-TECHNOLOGY OCCUPANCY SENSOR**

D. 375,097 * 10/1996 Kovens D10/106
D. 383,078 * 9/1997 Carmi D10/106
D. 399,155 * 10/1998 Roberts D10/106

(75) Inventors: **Justin Aiello**, Port Washington, NY (US); **Willfred Goldschmidt**, Weston; **Jeff Mullally**, Milford, both of CT (US); **R. Kurt Bender**, Dripping Springs, TX (US)

* cited by examiner

Primary Examiner—Marcus A. Jackson
(74) *Attorney, Agent, or Firm*—Fulbright & Jaworski

(73) Assignee: **MYTECH**, Austin, TX (US)

(57) **CLAIM**

(*) Notice: This patent is subject to a terminal disclaimer.

The design for a multi-technology occupancy sensor, as shown and described.

(**) Term: **14 Years**

DESCRIPTION

(21) Appl. No.: **29/115,240**

FIG. 1 is a perspective view of the bottom, front and right sides of the multi-technology occupancy sensor showing the new and ornamental design; and,

(22) Filed: **Dec. 8, 1999**

FIG. 2 is a perspective view of the top, front and left sides of the multi-technology occupancy sensor of FIG. 1.

(51) **LOC (7) Cl.** **10-05**

(52) **U.S. Cl.** **D10/104**

(58) **Field of Search** D10/104, 106, D10/116, 121; 340/545, 547, 555, 578, 586, 628, 629, 630, 693


In the disclosed embodiment, the back of multi-technology occupancy sensor is hidden in its ultimate use, is unornamented and therefore is not shown in the drawings.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 369,308 * 4/1996 Pun D10/106

1 Claim, 2 Drawing Sheets






Figure 1




Figure 2