



US00D439887S

(12) **United States Design Patent**
Hughes et al.

(10) **Patent No.:** **US D439,887 S**

(45) **Date of Patent:** **** Apr. 3, 2001**

(54) **TELEPHONE HANDSET**

5,913,178 * 6/1999 Olsson 455/575

(75) Inventors: **Stephen Paul Hughes; Ian Heseltine; Timothy Roland Manson**, all of London (GB)

* cited by examiner

Primary Examiner—Jeffrey Asch
(74) *Attorney, Agent, or Firm*—Dick and Harris

(73) Assignee: **Vtech Communications, Ltd.** (HK)

(57) **CLAIM**

(**) Term: **14 Years**

The ornamental design for a telephone handset, as shown and described.

(21) Appl. No.: **29/111,047**

DESCRIPTION

(22) Filed: **Sep. 17, 1999**

(30) **Foreign Application Priority Data**

Mar. 17, 1999 (GB) 2082097

(51) **LOC (7) Cl.** **14-03**

(52) **U.S. Cl.** **D14/138**

(58) **Field of Search** D14/137, 138, D14/147-148, 247-248, 250, 240, 140-142; 379/433.434, 419, 420, 428, 440; 455/550-575, 90

FIG. 1 is a front view of the handset with the cover closed, according to one embodiment of our new ornamental design. FIG. 2 is a front view of the handset with the cover closed, according to an alternative embodiment of our new ornamental design, having a transparent window in the cover, and with such structure as may be visible through the window not forming part of the claimed design.

FIG. 3 is a left side elevation of the handset, with the cover closed, applicable to both embodiments.

FIG. 4 is a right side elevation to the handset, with the cover closed, applicable of both embodiments.

FIG. 5 is a top elevation of the handset of the embodiment of FIG. 1, with the cover closed.

FIG. 6 is a bottom elevation of the handset with the cover closed, applicable to both embodiments.

FIG. 7 is a rear elevation of the handset with the cover closed, applicable to both embodiments.

FIG. 8 is a right side elevation of the handset, with the cover open, applicable to both embodiments.

FIG. 9 is a front elevation of the handset, with the cover open, applicable to both embodiments.

FIG. 10 is a right side elevation of the handset, with the cover open, applicable to both embodiments.

FIG. 11 is a rear elevation of the handset with the cover open according to the embodiment of FIG. 1; and,


FIG. 12 is a rear elevation of the handset with the cover open according to the embodiment of FIG. 2.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D. 318,050 * 7/1991 Elbaz et al. D14/138
- D. 327,062 * 6/1992 Taylor et al. D14/138
- D. 328,070 * 7/1992 Seay D14/138
- D. 390,555 * 2/1998 Finke-Anlauff D14/138
- D. 406,131 * 2/1999 Osthues D14/138
- D. 406,134 * 2/1999 Bigand D14/138
- D. 406,834 * 3/1999 Metzcus et al. D14/138
- D. 407,716 * 4/1999 Park D14/138
- D. 408,030 * 4/1999 Richards et al. D14/138
- D. 409,601 * 5/1999 Wicks et al. D14/138
- D. 410,002 * 5/1999 Collins D14/138
- D. 416,254 * 11/1999 Wild D14/138
- D. 423,493 * 4/2000 Hakoda D14/138
- 5,384,844 * 1/1995 Rydbeck 379/433
- 5,657,370 * 8/1997 Tsugane et al. 455/550
- 5,828,343 * 10/1998 MacDonald, Jr. et al. 455/90 X
- 5,838,789 * 11/1998 Mendolia 379/433

1 Claim, 10 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12