



US00D440101S

(12) **United States Design Patent**
Anderson

(10) **Patent No.:** **US D440,101 S**

(45) **Date of Patent:** **** Apr. 10, 2001**

(54) **ASSEMBLED PRIMARY END CAP FOR A HEADRAIL**

DESCRIPTION

(75) Inventor: **Richard N. Anderson**, Whitesville, KY (US)

(73) Assignee: **Hunter Douglas, Inc.**, Upper Saddle River, NJ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/120,133**

(22) Filed: **Mar. 14, 2000**

(51) **LOC (7) Cl.** **06-10**

(52) **U.S. Cl.** **D6/580**

(58) **Field of Search** D6/575, 577, 580;
160/177, 176.1, 173 R, 174, 168.1, 178.1

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 346,929	*	5/1994	Fraser	D6/580
D. 357,380	*	4/1995	Fraser	D6/580
4,697,629	*	10/1987	Anderson	160/177
4,821,789	*	4/1989	Van Rens	160/176.1
5,267,598	*	12/1993	Marocco	160/177
6,095,228	*	8/2000	Liu	160/173 R

* cited by examiner

Primary Examiner—Mitchell Siegel

(74) *Attorney, Agent, or Firm*—Dorsey & Whitney LLP

(57) **CLAIM**

I claim the ornamental design for an assembled primary end cap for a headrail, as shown and described.

FIG. 1 is an isometric view looking upwardly at a bottom, a first end, and a first side of the assembled primary end cap for a headrail according to a first embodiment of the present invention;

FIG. 2 is an elevation of the first end of the assembled primary end cap, which is identical for both the first embodiment and a second embodiment, shown in FIGS. 8–13, of the present invention;

FIG. 3 is a top plan view of the assembled primary end cap according to the first embodiment;

FIG. 4 is an elevation of the first side of the assembled primary end cap according to the first embodiment;

FIG. 5 is a bottom plan view of the assembled primary end cap according to the first embodiment;

FIG. 6 is an elevation of a second end of the primary end cap according to the first embodiment;

FIG. 7 is an elevation of a second side of the assembled primary end cap according to the first embodiment;

FIG. 8 is an isometric view looking upwardly at a bottom, a first end, and a first side of the assembled primary end cap for a headrail according to a second embodiment of the present invention;

FIG. 9 is a top plan view of the assembled primary end cap according to the second embodiment;

FIG. 10 is an elevation of the first side of the assembled primary end cap according to the second embodiment;

FIG. 11 is an elevation of a second end of the primary end cap according to the second embodiment;

FIG. 12 is a bottom plan view of the assembled primary end cap according to the second embodiment; and,

FIG. 13 is an elevation of a second side of the assembled primary end cap according to the second embodiment.

1 Claim, 5 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5





Fig. 6




Fig. 7

Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13

