



US00D440200S

(12) **United States Design Patent**
Tsuboi

(10) **Patent No.:** **US D440,200 S**

(45) **Date of Patent:** **** Apr. 10, 2001**

(54) **BATTERY**

(75) Inventor: **Masaharu Tsuboi, Saitama (JP)**

(73) Assignee: **Honda Giken Kogyo Kabushiki Kaisha, Tokyo (JP)**

(**) Term: **14 Years**

(21) Appl. No.: **29/114,483**

(22) Filed: **Nov. 23, 1999**

(30) **Foreign Application Priority Data**

May 26, 1999 (JP) 11-13467

(51) **LOC (7) Cl.** **13-02**

(52) **U.S. Cl.** **D13/103**

(58) **Field of Search** D13/103, 119;
429/96-100, 159, 163, 176

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D. 329,634 * 9/1992 Mizusugi et al. D13/103
- D. 329,649 * 9/1992 Stamps, Jr. et al. D13/103 X
- D. 358,126 * 5/1995 Sakuma et al. D13/103
- D. 363,055 * 10/1995 Kobayashi et al. D13/103

- D. 381,954 * 8/1997 Tashiro D13/103
- D. 387,328 * 12/1997 Ueda D13/103
- D. 403,300 * 12/1998 Renk D13/103
- D. 417,861 * 12/1999 Maeyama D13/103

* cited by examiner

Primary Examiner—Joel Sincavage

(74) *Attorney, Agent, or Firm*—Birch, Stewart, Kolasch & Birch, LLP

(57) **CLAIM**

The ornamental design for a battery, as shown and described.

DESCRIPTION

FIG. 1 is a front right perspective view of a battery showing my new design;

FIG. 2 is a front left perspective view thereof;

FIG. 3 is a rear right perspective view thereof;

FIG. 4 is a rear left perspective view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a left side elevational view thereof;


FIG. 7 is a top plan view thereof;

FIG. 8 is a bottom plan view thereof;

FIG. 9 is a front elevational view thereof; and,

FIG. 10 is a rear elevational view thereof.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10