



US00D440206S

(12) **United States Design Patent**
Carroll et al.

(10) **Patent No.:** **US D440,206 S**

(45) **Date of Patent:** **** Apr. 10, 2001**

(54) **CONTROLLER DEVICE**

(75) Inventors: **Maureen E. Carroll**, Atlanta; **Jirawat O. Jeamvigite**, Decatur, both of GA (US)

(73) Assignee: **Sunbeam Products, Inc.**, Boca Raton, FL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/116,772**

(22) Filed: **Jan. 10, 2000**

(51) **LOC (7) Cl.** **13-03**

(52) **U.S. Cl.** **D13/162**

(58) **Field of Search** D13/162, 168;
D14/402, 408; 340/825.36, 825.72, 825.31,
825.22, 825.23, 825.24, 825.25, 825.32;
341/176

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 392,945 * 3/1998 Barry et al. D13/168

D. 404,366 * 1/1999 Gross et al. D13/168
D. 418,125 * 12/1999 Jobs et al. D14/117.1
D. 423,462 * 4/2000 Jimenez et al. D13/168
5,351,051 * 9/1994 Yano et al. 340/825.72 X

* cited by examiner

Primary Examiner—Brian N. Vinson

(74) *Attorney, Agent, or Firm*—Kramer Levin Naftalis & Frankel LLP



(57) **CLAIM**

The ornamental design for a controller device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view showing the new design; FIG. 2 is a rear perspective view thereof; FIG. 3 is a front elevation view thereof; FIG. 4 is a side elevation view thereof, the opposite side being a mirror image; FIG. 5 is a rear elevation view thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a bottom plan view thereof.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7