



US00D440275S

(12) **United States Design Patent**  
**Rosenberg**

(10) **Patent No.:** **US D440,275 S**

(45) **Date of Patent:** **\*\* Apr. 10, 2001**

(54) **DOUBLE OFFSET FISH HOOK**

(76) Inventor: **Howard Rosenberg**, 3661 State Rd. 84,  
Ft. Lauderdale, FL (US) 33312

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/118,863**

(22) Filed: **Feb. 17, 2000**

(51) **LOC (7) Cl.** ..... **22-05**

(52) **U.S. Cl.** ..... **D22/144**

(58) **Field of Search** ..... D22/144; 43/43.1,  
43/43.16

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 371,594 \* 7/1996 Drapak et al. .... D22/144
- D. 392,715 \* 3/1998 Reed ..... D22/144
- D. 404,795 \* 1/1999 Nakagawa ..... D22/144
- D. 421,480 \* 3/2000 Edwards ..... D22/144

**OTHER PUBLICATIONS**

Maruto Fish Hooks Catalog, Fishing: Hooks Rods & Reels,  
Jul. 15, 1996.\*

Offshore Angler—Saltwater Specialists 1999 Catalog, Hook  
Rigs.\*

\* cited by examiner

*Primary Examiner*—Louis S. Zarfaz

*Assistant Examiner*—Catherine R. Oliver

(74) *Attorney, Agent, or Firm*—McHale & Slavin

(57) **CLAIM**

The ornamental design for a double offset fish hook, as  
shown and described.

**DESCRIPTION**

FIG. 1 is a side view of the double offset fish hook of the  
instant invention;

FIG. 2 is a side view of the double offset fish hook of the  
instant invention having a 90° degree offset;


FIG. 3 is a side view of the double offset fish hook of the  
instant invention having a 180° degree offset;

FIG. 4 is a perspective view from one end of the double  
offset fish hook of the instant invention;

FIG. 5 is a perspective view from one end of the double  
offset fish hook of the instant invention having a 90° degree  
offset; and,

FIG. 6 is a perspective view from one end of the double  
offset fish hook of the instant invention having a 180° degree  
offset.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6