

US00D440540S

(12) United States Design Patent (10) Patent No.:

US D440,540 S ** Apr. 17, 2001 (45) Date of Patent: Loh

POWER PACK SYSTEM

Pit-Kin Loh, No. 10 Jalan Aminuddin Inventor:

Baki, Seremban, 70100 (MY)

14 Years Term:

Appl. No.: 29/109,830

Aug. 23, 1999 Filed:

U.S. Cl. D13/139.8 (52)

(58)439/501, 650–654, 107, 4

References Cited (56)

U.S. PATENT DOCUMENTS

D. 234,425	*	3/1975	Plummer D13/139.6
D. 285,788	*	9/1986	Rapp et al
D. 354,267	*	1/1995	Severinsky D13/139.8
D. 367,642	*	3/1996	Boesel et al
D. 390,190	*	2/1998	Stekelenburg
5,138,351	*	8/1992	Wiegand et al 439/501 X

^{*} cited by examiner

Primary Examiner—Susan J. Lucas Assistant Examiner—Jennifer Rivard

(74) Attorney, Agent, or Firm—D. Peter Hochberg; Katherine R. Vierya; William H. Holt

(57)CLAIM

The ornamental design for a power pack system, as shown and described.

DESCRIPTION

FIG. 1 is a top view of the surge protector portion of the power pack system according to the invention;

FIG. 2 is a side view of the surge protector portion of the power pack system as shown in FIG. 1;

FIG. 3 is a bottom view of the surge protector portion of the power pack system as shown in FIG. 1;




FIG. 5 is a front view of the surge protector portion of the power pack system as shown in FIG. 1;

FIG. 6 is a back view of the surge protector portion of the power pack system as shown in FIG. 1;

FIG. 7 is a top view of the battery pack portion of the power pack system according to the invention;

FIG. 8 is side view of the battery pack portion of the power pack system as shown in FIG. 7;

FIG. 9 is a bottom view of the battery pack portion of the power pack system as shown in FIG. 7;

FIG. 10 is a side view of the battery pack portion of the power pack system as shown in FIG. 7, viewed from the opposite side of the battery pack as shown in FIG. 8;

FIG. 11 is a front view of the battery pack portion of the power pack system as shown in FIG. 7;

FIG. 12 is a back view of the battery pack portion of the power pack system as shown in FIG. 7;

FIG. 13 is a top view of the power pack system, showing the surge protector mounted on one battery pack;

FIG. 14 is a side view of the power pack system as shown in FIG. 13;

FIG. 15 is a bottom view of the power pack system as shown in FIG. 13;

FIG. 16 is a front view of the power pack system as shown in FIG. 13;

FIG. 17 is a back view of the power pack system as shown in FIG. 13;


FIG. 18 is a top view of the second embodiment of the power pack system, showing a surge protector mounted on top of one battery pack, and separated from a second battery pack; FIG. 19 is a side view of the power pack system as shown in FIG. 18;


FIG. 20 is a bottom view of the power pack system as shown in FIG. 18;

FIG. 21 is a front view of the power pack system as shown in FIG. 18;

FIG. 22 is a back view of the power pack system as shown in FIG. 18;

FIG. 23 is a top view of the second embodiment of the power pack system, showing a surge protector mounted on top of two battery packs;





US D440,540 S

Page 2

FIG. 24 is a side view of the power pack system as shown in FIG. 23;

FIG. 25 is a bottom view of the power pack system as shown in FIG. 23;


FIG. 26 is a front view of the power pack system as shown in FIG. 23; and,


FIG. 27 is a back view of the power pack system as shown in FIG. 23.


The cord is shown broken away to indicate indefinite length.


The surge protector and the battery pack of the power pack system are disclosed separately for convenience of illustration.

1 Claim, 5 Drawing Sheets














FIG-11








FIG-12

