



US00D440571S

(12) **United States Design Patent**
Omuro et al.

(10) **Patent No.:** **US D440,571 S**

(45) **Date of Patent:** **** Apr. 17, 2001**

(54) **IMAGE INPUT DEVICE**

(75) Inventors: **Makoto Omuro; Yoji Nakano**, both of Nagano-ken (JP)

(73) Assignee: **Seiko Epson Corporation**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/120,000**

(22) Filed: **Mar. 13, 2000**

(30) **Foreign Application Priority Data**

Oct. 18, 1999 (JP) 11-28552

(51) **LOC (7) Cl.** **14-02**

(52) **U.S. Cl.** **D14/425**

(58) **Field of Search** D14/424, 425;
D18/36, 37, 39; 250/556; 355/64, 65, 75,
81

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 370,893 * 6/1996 Chen et al. D14/425

D. 388,773 * 1/1998 Chang et al. D14/425

D. 405,066 * 2/1999 Wu et al. D14/425

* cited by examiner

Primary Examiner—Freda Nunn

(74) *Attorney, Agent, or Firm*—Oliff & Berridge, PLC

(57) **CLAIM**

The ornamental design for an image input device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the image input device;

FIG. 2 is a top view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof;


FIG. 5 is a rear view thereof;

FIG. 6 is a front view thereof; and,

FIG. 7 is a bottom view thereof.

The broken line showing in FIG. 5 is for illustrative purposes only and forms no part of the claimed design. In addition, the broken lines in FIG. 5 define the bounds of the claimed design and form no part thereof.

1 Claim, 5 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7