

US00D440588S

(12) **United States Design Patent** (10) **Patent No.:** **US D440,588 S**
Ohi et al. (45) **Date of Patent:** **** Apr. 17, 2001**

(54) **COMBINED MONITOR, VIDEO TAPE
RECORDER AND VIDEO CAMERA**

(75) Inventors: **Hiroshi Ohi; Seiji Kurokawa**, both of
Tochigi-ken (JP)

(73) Assignee: **Sharp Kabushiki Kaisha**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/125,614**

(22) Filed: **Jun. 28, 2000**

(30) **Foreign Application Priority Data**

Dec. 28, 1999 (JP) 11-37089

(51) **LOC (7) Cl.** **16-01**

(52) **U.S. Cl.** **D16/202**

(58) **Field of Search** D16/200-206;
348/376, 207; 358/906; 396/535-541

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 341,368	11/1993	Ooi et al.		D16/202
D. 341,369	11/1993	Sakata		D16/202
D. 347,235	5/1994	Ooi et al.		D16/202
D. 347,236	5/1994	Ooi et al.		D16/202
D. 351,157	10/1994	Usami et al.		D14/129
D. 352,728	11/1994	Kurokawa et al.		D16/202
D. 352,729	11/1994	Tsujimura et al.		D16/202
D. 356,097	3/1995	Sakata et al.		D16/202
D. 365,116	12/1995	Ohi et al.		D16/202
D. 365,586 *	12/1995	Miyashita		D16/202
D. 365,587	12/1995	Saeki et al.		D16/234
D. 366,269	1/1996	Ohi et al.		D16/202
D. 366,492	1/1996	Kume et al.		D16/202
D. 366,658	1/1996	Fukutome		D14/168
D. 380,226	6/1997	Ohi et al.		D16/202
D. 386,507	11/1997	Ohi et al.		D16/202
D. 392,298	3/1998	Ohi et al.		D16/202
D. 393,651 *	4/1998	Cha		D16/202
D. 401,256 *	11/1998	Harata		D16/202
D. 410,662 *	6/1999	Harata		D16/202
5,499,052 *	3/1996	Nakanishi et al.		348/373

6,122,003 * 9/2000 Anderson 348/207

* cited by examiner

Primary Examiner—Adir Aronovich

(74) *Attorney, Agent, or Firm*—Nixon & Vanderhye

(57) **CLAIM**

The ornamental design for a combined monitor, video tape recorder and video camera, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and right side perspective view of a combined monitor, video tape recorder and video camera according to our design;

FIG. 2 is a top, rear and left side perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a left side elevational view thereof;



FIG. 8 is a right side elevational view thereof;

FIG. 9 is a perspective view thereof similar to FIG. 1 and with the LCD monitor rotated 180°; and,

FIG. 10 is a view similar to FIG. 1 illustrating the combined monitor, video tape recorder and video camera with a further component attached thereto upon removal of the LCD monitor.

The combined monitor, video tape recorder and video camera illustrated in the accompanying photographs is useful with an optional wireless communication unit, not shown, whereby the combined monitor, video tape recorder and video camera can be remotely controlled by touch screen operation on the removed LCD monitor. The LCD monitor is illustrated in two positions in FIGS. 1 and 9, rotated 180° relative to one another and may be removed from the combined monitor, video tape recorder and video camera for use with the wireless communication unit. The component illustrated in FIG. 10 is attached to the combined monitor, video tape recorder and video camera in lieu of the removed LCD monitor.

1 Claim, 4 Drawing Sheets






Fig.1




Fig.2




Fig.3




Fig.4




Fig.5



Fig.6




Fig.7




Fig.8



Fig.9




Fig.10