



US00D440683S

(12) **United States Design Patent**  
**Guercio**

(10) **Patent No.:** **US D440,683 S**

(45) **Date of Patent:** **\*\* Apr. 17, 2001**

(54) **SHIELDED FLOOD LIGHT HEAD**

(76) Inventor: **Vincenzo Guercio**, 21 Equestrian Dr.,  
Wallkill, NY (US) 12589

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/088,515**

(22) Filed: **May 26, 1998**

(51) **LOC (7) Cl.** ..... **26-05**

(52) **U.S. Cl.** ..... **D26/85; D26/24**

(58) **Field of Search** ..... **D26/72, 85, 87,**  
**D26/92, 24; 362/147, 432, 310, 311**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 324,111 \* 2/1992 Arbisi ..... D26/85 X
- D. 336,964 \* 6/1993 Janssen et al. .... D26/85 X
- D. 380,572 \* 7/1997 Bodell et al. .... D26/85

\* cited by examiner

*Primary Examiner*—Susan J. Lucas

(74) *Attorney, Agent, or Firm*—Baker & Friedman; Thomas  
A. Beck

(57) **CLAIM**


The ornamental design for a shielded flood light head, as  
shown in the drawings.

**DESCRIPTION**

FIG. 1 is an isometric view of the shielded flood light head;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a front elevational view thereof;  
FIG. 4 is a bottom plan view thereof;  
FIG. 5 is a right side view thereof (left side is identical);and,  
FIG. 6 is a back elevational view thereof;

The faceting on the lens is fragmentarily shown for conve-  
nience of illustration, it being understood that the faceting is  
continuous over the surface of the lens.

**1 Claim, 2 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 6




Fig. 5