



US00D440803S

(12) **United States Design Patent** (10) **Patent No.:** **US D440,803 S**
McCormick et al. (45) **Date of Patent:** **** Apr. 24, 2001**

(54) **BILLIARD CUE RACK**

(75) Inventors: **William R. McCormick**, Kenosha, WI (US); **David A. Hayes**, Grayslake, IL (US); **Kelly M. Wolcott**; **Theodore J. Caron**, both of Kenosha, WI (US)

(73) Assignee: **Brunswick Bowling & Billiards Corporation**, Muskegon, MI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/117,108**

(22) Filed: **Jan. 14, 2000**

(51) **LOC (7) Cl.** **08-08**

(52) **U.S. Cl.** **D6/552**

(58) **Field of Search** D6/552; D21/726,
D21/733, 782; 206/579, 315.1; 211/68,
70.6

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D. 198,691 * 7/1964 Schaefer D6/552
- D. 429,936 * 8/2000 McCormick et al. D6/552

* cited by examiner

Primary Examiner—Brian N. Vinson

(74) *Attorney, Agent, or Firm*—Price, Heneveld, Cooper, DeWitt & Litton

(57) **CLAIM**

We claim the ornamental design for a billiard cue rack, as shown.

DESCRIPTION

FIG. 1 is a perspective view showing the front, top, and a first side of a billiard cue rack constructed in accordance with a first embodiment of the present invention;

FIG. 2 is a top elevational view of the billiard cue rack constructed in accordance with the first embodiment of the present invention;

FIG. 3 is a side elevational view of a second side of the billiard cue rack constructed in accordance with the first embodiment of the present invention;

FIG. 4 is a bottom elevational view of the billiard cue rack constructed in accordance with the first embodiment of the present invention;

FIG. 5 is a side elevational view of the first side of the billiard cue rack constructed in accordance with the first embodiment of the present invention;

FIG. 6 is a front elevational view of the billiard cue rack constructed in accordance with the first embodiment of the present invention;

FIG. 7 is a rear elevational view of the billiard cue rack constructed in accordance with the first embodiment of the present invention;

FIG. 8 is a perspective view showing the front, top, and a first side of a billiard cue rack constructed in accordance with a second embodiment of the present invention;

FIG. 9 is a top elevational view of the billiard cue rack constructed in accordance with the second embodiment of the present invention;

FIG. 10 is a side elevational view of a second side of the billiard cue rack constructed in accordance with the second embodiment of the present invention;



FIG. 11 is a bottom elevational view of the billiard cue rack constructed in accordance with the second embodiment of the present invention;

FIG. 12 is a side elevational view of the first side of the billiard cue rack constructed in accordance with the second embodiment of the present invention;

FIG. 13 is a front elevational view of the billiard cue rack constructed in accordance with the second embodiment of the present invention; and,

FIG. 14 is a rear elevational view of the billiard cue rack constructed in accordance with the second embodiment of the present invention.

1 Claim, 4 Drawing Sheets







FIG. 1

FIG. 6






FIG. 2




FIG. 4




FIG. 5




FIG. 7



FIG. 3





FIG. 13

FIG. 8






FIG. 9




FIG. 11



FIG. 12




FIG. 14




FIG. 10