



US00D440805S

(12) **United States Design Patent**
Rogone et al.

(10) **Patent No.:** **US D440,805 S**

(45) **Date of Patent:** **** Apr. 24, 2001**

- (54) **INFANT POSITIONING DEVICE**
- (75) Inventors: **Mary S. Rogone; Philip N. Rogone,**
both of Victorville, CA (US)
- (73) Assignee: **Small Beginnings, Inc.,** Victorville, CA
(US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/118,495**
- (22) Filed: **Feb. 9, 2000**
- (51) **LOC (7) Cl.** **06-09**
- (52) **U.S. Cl.** **D6/596; D6/333; D6/601**
- (58) **Field of Search** D6/595, 596, 601,
D6/608, 333; 5/630, 633, 636, 646, 652-655,
656, 417-420

- 5,168,590 * 12/1992 O'Sullivan 5/490
- 5,182,828 * 2/1993 Alivizatos 5/631
- 5,261,133 11/1993 Wilkerson 5/655
- 5,371,909 12/1994 McCarty 5/655

* cited by examiner

Primary Examiner—Janice E. Seeger
(74) *Attorney, Agent, or Firm*—Skjerven Morrill
MacPherson LLP; Theodore P. Lopez

(57) **CLAIM**

The ornamental design for an infant positioning device, as shown and described.

DESCRIPTION


FIG. 1 is a bottom perspective view of the ornamental design of our new infant positioning device; FIG. 2 is a bottom plan view of the device of FIG. 1; FIG. 3 is a left side view of the device of FIG. 2; FIG. 4 is a top plan view of the device of FIG. 2; FIG. 5 is a right side view of the device of FIG. 2; FIG. 6 is a front elevation view of the device of FIG. 2; and, FIG. 7 is a rear elevation view of the device of FIG. 2. Be it known that all broken line elements shown in the Figures form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D. 415,919 11/1999 Porter D6/596
- D. 416,159 11/1999 Porter D6/596
- D. 417,811 * 12/1999 Smith D6/596
- 2,629,884 * 3/1953 McMonagle 5/654
- 4,566,449 1/1986 Smith 128/133

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 6




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 7