



US00D440955S

(12) **United States Design Patent**
Tanaka et al.

(10) **Patent No.:** **US D440,955 S**

(45) **Date of Patent:** **** Apr. 24, 2001**

(54) **PORTABLE TELEPHONE**

(75) Inventors: **Hiroshi Tanaka**, Osaka; **Eiko Kameoka**, Kobe, both of (JP)

(73) Assignee: **Sanyo Electric Co., Ltd.**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/131,659**

(22) Filed: **Oct. 25, 2000**

(30) **Foreign Application Priority Data**

May 11, 2000 (JP) 12-012408

(51) **LOC (7) Cl.** **14-03**

(52) **U.S. Cl.** **D14/138**

(58) **Field of Search** D14/137, 138,
D14/218, 147-148, 247-248; 379/433.434,
419, 420, 428, 440; 455/550-575, 90

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|------------|---|---------|-------------------|-------|---------|
| D. 319,441 | * | 8/1991 | Konno et al. | | D14/147 |
| D. 369,598 | * | 5/1996 | Nagele et al. | | D14/138 |
| D. 385,873 | * | 11/1997 | Nagele et al. | | D14/138 |
| D. 406,586 | * | 3/1999 | Nagele et al. | | D14/138 |
| D. 408,402 | * | 4/1999 | Shimelfarb et al. | | D14/138 |
| D. 415,152 | * | 10/1999 | Koo | | D14/138 |
| D. 419,155 | * | 1/2000 | Nagele et al. | | D14/138 |
| D. 419,991 | * | 2/2000 | Park | | D14/138 |
| D. 421,604 | * | 3/2000 | Yoon | | D14/138 |
| D. 424,557 | * | 5/2000 | Nagele et al. | | D14/138 |
| D. 425,503 | * | 5/2000 | Nagele et al. | | D14/138 |

| | | | | | |
|------------|---|---------|-----------------|-------|---------|
| D. 430,859 | * | 9/2000 | Lindeman et al. | | D14/138 |
| D. 432,105 | * | 10/2000 | Hyun | | D14/138 |
| D. 432,510 | * | 10/2000 | Hyun | | D14/138 |
| D. 433,397 | * | 11/2000 | Ogawa | | D14/138 |
| D. 434,402 | * | 11/2000 | Lee | | D14/138 |
| 5,335,368 | * | 8/1994 | Tamura | | 455/90 |
| 5,442,814 | * | 8/1995 | Seo | | 455/550 |
| 5,923,751 | * | 7/1999 | Ohtsuka et al. | | 379/433 |

* cited by examiner

Primary Examiner—Jeffrey Asch

(74) *Attorney, Agent, or Firm*—Darby & Darby

(57) **CLAIM**

The ornamental design for a portable telephone, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of our new design for a portable telephone;
 FIG. 2 is a right side perspective view of our new design when closed;
 FIG. 3 is a front elevation view of our new design when open;
 FIG. 4 is a rear elevation view of our new design when open;
 FIG. 5 is a top plan view of our new design when open;
 FIG. 6 is a bottom plan view of our new design when open;
 FIG. 7 is a left side view of our new design when open;
 FIG. 8 is a right side view of our new design when open;
 FIG. 9 is a top plan view of our new design when closed;
 FIG. 10 is a front view of our new design when closed; and,
 FIG. 11 is a left side view of our new design when closed.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11

