



US00D440955S

(12) **United States Design Patent**  
**Tanaka et al.**

(10) **Patent No.:** **US D440,955 S**

(45) **Date of Patent:** **\*\* Apr. 24, 2001**

(54) **PORTABLE TELEPHONE**

(75) Inventors: **Hiroshi Tanaka**, Osaka; **Eiko Kameoka**, Kobe, both of (JP)

(73) Assignee: **Sanyo Electric Co., Ltd.**, Osaka (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/131,659**

(22) Filed: **Oct. 25, 2000**

(30) **Foreign Application Priority Data**

May 11, 2000 (JP) ..... 12-012408

(51) **LOC (7) Cl.** ..... **14-03**

(52) **U.S. Cl.** ..... **D14/138**

(58) **Field of Search** ..... D14/137, 138,  
D14/218, 147-148, 247-248; 379/433.434,  
419, 420, 428, 440; 455/550-575, 90

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 319,441 \* 8/1991 Konno et al. .... D14/147
- D. 369,598 \* 5/1996 Nagele et al. .... D14/138
- D. 385,873 \* 11/1997 Nagele et al. .... D14/138
- D. 406,586 \* 3/1999 Nagele et al. .... D14/138
- D. 408,402 \* 4/1999 Shimelfarb et al. .... D14/138
- D. 415,152 \* 10/1999 Koo ..... D14/138
- D. 419,155 \* 1/2000 Nagele et al. .... D14/138
- D. 419,991 \* 2/2000 Park ..... D14/138
- D. 421,604 \* 3/2000 Yoon ..... D14/138
- D. 424,557 \* 5/2000 Nagele et al. .... D14/138
- D. 425,503 \* 5/2000 Nagele et al. .... D14/138

- D. 430,859 \* 9/2000 Lindeman et al. .... D14/138
- D. 432,105 \* 10/2000 Hyun ..... D14/138
- D. 432,510 \* 10/2000 Hyun ..... D14/138
- D. 433,397 \* 11/2000 Ogawa ..... D14/138
- D. 434,402 \* 11/2000 Lee ..... D14/138
- 5,335,368 \* 8/1994 Tamura ..... 455/90
- 5,442,814 \* 8/1995 Seo ..... 455/550
- 5,923,751 \* 7/1999 Ohtsuka et al. .... 379/433

\* cited by examiner

*Primary Examiner*—Jeffrey Asch

(74) *Attorney, Agent, or Firm*—Darby & Darby

(57) **CLAIM**

The ornamental design for a portable telephone, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of our new design for a portable telephone;

FIG. 2 is a right side perspective view of our new design when closed;

FIG. 3 is a front elevation view of our new design when open;

FIG. 4 is a rear elevation view of our new design when open;

FIG. 5 is a top plan view of our new design when open;

FIG. 6 is a bottom plan view of our new design when open;

FIG. 7 is a left side view of our new design when open;

FIG. 8 is a right side view of our new design when open;

FIG. 9 is a top plan view of our new design when closed;

FIG. 10 is a front view of our new design when closed; and,

FIG. 11 is a left side view of our new design when closed.

**1 Claim, 4 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11

