



US00D441304S

(12) **United States Design Patent**
Dunston

(10) **Patent No.:** **US D441,304 S**

(45) **Date of Patent:** **** May 1, 2001**

(54) **COMBINED WATCH AND PAGER DEVICE WITH MESSAGE DISPLAY**

(76) **Inventor:** **David E Dunston**, 109 Lynnbank Estates Rd., Kittrell, NC (US) 27544

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/117,023**

(22) **Filed:** **Jan. 14, 2000**

(51) **LOC (7) Cl.** **10-02**

(52) **U.S. Cl.** **D10/31; D10/32**

(58) **Field of Search** D10/1-40, 122-132; D11/3-25; 63/1.1, 3, 5, 11; 368/276-277, 280-282, 285, 10

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 355,373	*	2/1995	Knight	D10/30
D. 361,942		9/1995	Williams	.	
D. 368,432		4/1996	Takashi	.	
D. 383,985		9/1997	Davenport	.	
D. 385,201	*	10/1997	Jou	D10/32
4,713,808		12/1987	Gaskill et al.	.	
5,537,407		7/1996	Park et al.	.	
5,572,488		11/1996	Yamada et al.	.	

OTHER PUBLICATIONS

European Jeweler—Feb. 1983—p. 96—Watches at lower-left.*

* cited by examiner

Primary Examiner—Nelson C. Holtje

(57) **CLAIM**

The ornamental design for a combined watch and pager device with message display, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the combined watch and pager device with message display of the present invention; FIG. 2 is a rear elevational view of the combined watch and pager device with message display of FIG. 1; FIG. 3 is a left side elevational view of the combined watch and pager device with message display of FIG. 1; FIG. 4 is a right side elevational view of the combined watch and pager device with message display of FIG. 1; FIG. 5 is a top plan view of the combined watch and pager device with message display of FIG. 1; and, FIG. 6 is a bottom plan view of the combined watch and pager device with message display of FIG. 1.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2



Fig. 3




Fig. 5




Fig. 6



Fig. 4