



US00D441330S

(12) **United States Design Patent**  
**Okazawa et al.**

(10) **Patent No.:** **US D441,330 S**

(45) **Date of Patent:** **\*\* May 1, 2001**

(54) **OPERATING LEVER FOR WORKING VEHICLE**

D. 414,149 \* 9/1999 Asakura ..... D12/179  
D. 416,525 \* 11/1999 Sacco et al. .... D12/179  
D. 418,097 \* 12/1999 Leschke et al. .... D12/179

(75) Inventors: **Koji Okazawa**, Osaka; **Toshihiro Kawano**, Oita; **Sigeyuki Satou**, Saitama, all of (JP)

\* cited by examiner

*Primary Examiner*—Melody N. Brown

(73) Assignee: **Komatsu Ltd.**, Tokyo (JP)

(74) *Attorney, Agent, or Firm*—Kanesaka & Takeuchi

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/128,975**

The ornamental design for an operating lever for working vehicle, as shown and described.

(22) Filed: **Sep. 7, 2000**

**DESCRIPTION**

(51) **LOC (7) Cl.** ..... **12-16**

(52) **U.S. Cl.** ..... **D12/179**

(58) **Field of Search** ..... D8/303, 300, 1;  
D12/179; 74/551.8, 551.9, 502.2, 523, 489,  
475

FIG. 1 is a top plan view of an operating lever for working vehicle showing our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a bottom plan view thereof; and,


FIG. 6 is a rear view thereof.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D. 412,824 \* 8/1999 Hoefle et al. .... D12/179

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6