



US00D441354S

(12) **United States Design Patent**
Jing

(10) **Patent No.:** **US D441,354 S**

(45) **Date of Patent:** **** May 1, 2001**

(54) **MICROPHONE**

(75) **Inventor:** **Panding Jing**, Taipei (TW)

(73) **Assignee:** **Yoga Electronics Co., Ltd.**, Taipei (TW)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/106,798**

(22) **Filed:** **Jun. 18, 1999**

(51) **LOC (7) Cl.** **14-01**

(52) **U.S. Cl.** **D14/228**

(58) **Field of Search** D14/225-229;
181/158, 242; 381/26, 92, 95, 122, 369

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 183,114	*	7/1958	Burroughs	D14/228
D. 194,151	*	11/1962	Deschamps et al.	D14/228
D. 213,567	*	3/1969	Khan	D14/228
D. 233,669	*	11/1974	Plice	D14/228
D. 277,852	*	3/1985	Watson	D14/228
5,357,577	*	10/1994	Waji et al.	381/122

OTHER PUBLICATIONS

Sony Style, p. 290, Microphone, model No. ECM-737 One-pointed Stereo Microphone, 1993.*

Sony Style, p. 292, Microphone, model No. ECM-K57 Video Microphone, 1993.*

* cited by examiner

Primary Examiner—Nanda Bondade

(74) *Attorney, Agent, or Firm*—Morgan, Lewis & Bockius LLP

(57) **CLAIM**

The ornamental design for microphone, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of microphone showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;


FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7