



US00D441466S

(12) **United States Design Patent**
Boone

(10) **Patent No.:** **US D441,466 S**

(45) **Date of Patent:** **** May 1, 2001**

(54) **DECORATIVE WALL PANEL**

(76) Inventor: **Anthony Forest Boone**, 129 Coral Ave., #2, Louisville, KY (US) 40206

(**) Term: **14 Years**

(21) Appl. No.: **29/129,847**

(22) Filed: **Sep. 22, 2000**

(51) **LOC (7) Cl.** **25-01**

(52) **U.S. Cl.** **D25/163**

(58) **Field of Search** D25/138, 163, D25/157, 149; 52/311.1, 316; D21/826

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 194,462	*	1/1963	Broky et al.	D25/163
D. 244,383	*	5/1977	Tellman et al.	D25/163
D. 319,885		9/1991	Bloomquist et al. .	
D. 321,060		10/1991	Bloomquist et al. .	
D. 341,215		11/1993	Bloomquist et al. .	
D. 346,667		5/1994	Bloomquist et al. .	
D. 378,702		4/1997	Bloomquist et al. .	
D. 391,376		2/1998	Strand et al. .	
1,770,155		7/1930	Flath .	
2,112,861		4/1938	O'Hagen et al. .	
3,381,428		5/1968	Silliman .	
5,064,313		11/1991	Risi et al. .	
5,381,638		1/1995	Anderson .	
5,542,787		8/1996	Charlanow .	
5,887,339		3/1999	Shaw .	

OTHER PUBLICATIONS

Website: <http://www.greenstreak.com> (discovered Aug. 21, 2000), Greenstreak, Inc.

Website: <http://www.formliner.com/parapet.html> (discovered Aug. 21, 2000), Karlson Forming Specialities, Inc.

Website: <http://www.formliners.com> (discovered Aug. 21, 2000), Fitzgerald Formliners.

Prime Forming and Construction Supply, Inc. catalogue and users guide 1995, 4 pgs.

“Thin Brick” buyline 6621, Sweet’s General Building & Renovation 1993 Catalogue.

Website: <http://www.sportrockintl.com> (discovered Sep. 19, 2000), Sport Rock International.

* cited by examiner

Primary Examiner—Doris Clark

(57) **CLAIM**

The ornamental design for a decorative wall panel, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a decorative wall panel of the first embodiment;

FIG. 2 is a rear view of the decorative wall panel of the first embodiment;

FIG. 3 is an enlarged top plan view of the decorative wall panel of the first embodiment, the gradation of shading depicting varied ridge levels on the front of the decorative wall panel, the darkest shaded areas depicting void pockets along the uppermost ridge of the front of the decorative wall panel;

FIG. 4 is a front elevation view of the decorative wall panel of the first embodiment;


FIG. 5 is an enlarged bottom plan view of the decorative wall panel of the first embodiment, the gradation of shading depicting varied ridge levels on the front of the decorative wall panel, the darkest shaded areas depicting void pockets along the lowermost ridge of the front of the decorative wall panel;

FIG. 6 is an enlarged left side elevation view of the decorative wall panel of the first embodiment;

FIG. 7 is an enlarged right side elevation view of the decorative wall panel of the first embodiment; and,

FIG. 8 is a perspective view of a decorative wall panel showing a second embodiment, the sole difference being that the decorative wall panel is of intermediate length, it being understood that all other surfaces are the same as the first embodiment as shown in FIGS. 1–7.

1 Claim, 5 Drawing Sheets






FIG 1

FIG 2





FIG 3

FIG 4




FIG 5



FIG 6



FIG 7




FIG 8