



US00D441701S

(12) **United States Design Patent** (10) **Patent No.:** **US D441,701 S**
Okazawa et al. (45) **Date of Patent:** **** May 8, 2001**

(54) **OPERATING LEVER FOR WORKING VEHICLE**

(75) Inventors: **Koji Okazawa**, Osaka; **Akifumi Inamaru**; **Toshihiro Kawano**, both of Oita; **Sigeyuki Satou**, Saitama, all of (JP)

(73) Assignee: **Komatsu Ltd.**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/128,976**

(22) Filed: **Sep. 7, 2000**

(51) **LOC (7) Cl.** **12-16**

(52) **U.S. Cl.** **D12/179**

(58) **Field of Search** D12/179; D8/303, D8/300; 74/551.8, 551.9, 502.2, 523, 475, 489

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 412,824 * 8/1999 Hoefle et al. D12/179

D. 414,149 * 9/1999 Asakura D12/179

D. 416,525 * 11/1999 Sacco et al. D12/179

D. 418,097 * 12/1999 Leschke et al. D12/179

* cited by examiner

Primary Examiner—Melody N. Brown

(74) *Attorney, Agent, or Firm*—Kanesaka & Takeuchi

(57) **CLAIM**

The ornamental design for an operating lever for working vehicle, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of an operating lever for working vehicle showing our new design;

FIG. 2 is a front view thereof;


FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a bottom plan view thereof; and,

FIG. 6 is a rear view thereof.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6