



US00D441885S

(12) **United States Design Patent** (10) **Patent No.:** **US D441,885 S**
Moriyama et al. (45) **Date of Patent:** **** May 8, 2001**

(54) **COLOR ILLUMINATION UNIT**

(75) Inventors: **Hideo Moriyama; Masayuki Katogi; Hiroaki Machii**, all of Tokyo (JP)

(73) Assignee: **Moriyama Sangyo Kabushiki Kaisha**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/107,325**

(22) Filed: **Jun. 30, 1999**

(30) **Foreign Application Priority Data**

Jan. 1, 1999 (JP) 11-68
 Feb. 16, 1999 (JP) 11-3448

(51) **LOC (7) Cl.** **26-04**

(52) **U.S. Cl.** **D26/25**

(58) **Field of Search** D26/24, 25; 40/550; D20/12; 362/252, 249, 236, 238, 240

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 380,058	*	6/1997	Kane et al.	D26/27
D. 426,327	*	6/2000	Guzik	D26/25
742,407	*	10/1903	Enright	40/550
4,385,346	*	5/1983	Spicer	362/249
4,482,944	*	11/1984	Rossine et al.	362/252
4,514,791	*	4/1985	Tokieda	362/249
4,570,206	*	2/1986	Deutsch	362/252
5,161,882	*	11/1992	Garrett	362/249
5,803,577	*	9/1998	Stratton	362/249
5,857,763	*	1/1999	Chen	362/249
6,033,088	*	3/2000	Contigiani	362/249

OTHER PUBLICATIONS

“Interior Lighting”; sutairubetsu jutaku tenpo shomei; p. 669; Document No. HC0402716600; 1992–1993.

* cited by examiner

Primary Examiner—Cynthia E Ramirez

(74) *Attorney, Agent, or Firm*—Marshall & Melhorn, LLC

(57) **CLAIM**

The ornamental design for a color illumination unit, as shown and described.

DESCRIPTION

The file of this patent contains at least one drawing executed in color. Copies of this patent with color drawings will be provided by the Patent and Trademark Office upon request and payment of the necessary fee.

FIG. 1 is a perspective view of a color illumination unit showing our new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof;

FIG. 7 is a back view thereof;

FIG. 8 is an illustrative perspective view showing a color illumination unit according to our new design employed in combination with a like unit, shown in broken lines, mounted inside a translucent shade shown in broken lines, the translucent shade forming no part of the claimed design; FIG. 9 is another illustrative perspective view showing a color illumination unit according to our new design employed in combination with a like unit, shown in broken lines, mounted inside a translucent shade shown in broken lines, the translucent shade forming no part of the claimed design; and,

FIG. 10 is yet another illustrative perspective view showing a color illuminating unit according to our new design employed in combination with a like unit, shown in broken lines, mounted inside a curved translucent shade shown in broken lines, the translucent shade forming no part of the claimed design.

1 Claim, 6 Drawing Sheets

(6 of 6 Drawing Sheet(s) Filed in Color)




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6





Fig. 7






Fig. 8




Fig. 9

Fig. 10

