



US00D442005S

(12) **United States Design Patent**  
**Boese**

(10) **Patent No.:** **US D442,005 S**

(45) **Date of Patent:** **\*\* May 15, 2001**

(54) **SEAT CUSHION**

(76) **Inventor:** **Niclus D. Boese**, 8 Canyon Crest Ct.,  
Frisco, TX (US) 75034

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/123,767**

(22) **Filed:** **May 26, 2000**

(51) **LOC (7) Cl.** ..... **06-09**

(52) **U.S. Cl.** ..... **D6/601; D6/354**

(58) **Field of Search** ..... D6/595-597, 601,  
D6/604, 359; 5/630, 631, 632, 652-655,  
655.3, 655.4, 655.9, 656; 297/195.1, 199,  
214

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D. 307,085 \* 4/1990 Cook et al. .... D6/502  
5,558,396 \* 9/1996 Yu ..... 297/195.1 X

**FOREIGN PATENT DOCUMENTS**

2747162 \* 4/1978 (DE) ..... 297/214

\* cited by examiner

*Primary Examiner*—Janice E. Seeger

(74) *Attorney, Agent, or Firm*—Martin Sachs, Esq.

(57) **CLAIM**

The ornamental design for a seat cushion, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the seat cushion, showing the new design thereof;

FIG. 2 is a side view in elevation of the seat cushion shown in FIG. 1;


FIG. 3 is a rear view in elevation of the seat cushion depicted in shown in FIGS. 1 and 2;


FIG. 4 is a cross-sectional view taken along the line 4—4 of FIG. 2;

FIG. 5 is a cross-sectional view taken along the line 5—5 of FIG. 2; and,


FIG. 6 is a cross-sectional view taken along the line 6—6 of FIG. 2.

**1 Claim, 2 Drawing Sheets**







*FIG. 1*




*FIG. 2*




*FIG. 3*



*FIG. 4*



*FIG. 5*



*FIG. 6*