



US00D442055S

(12) **United States Design Patent**
Dewald et al.

(10) **Patent No.: US D442,055 S**

(45) **Date of Patent: ** May 15, 2001**

(54) **PULL**

(75) Inventors: **Kevin Dewald**, Spring Lake, MI (US);
Carl Hedrick, Kernersville, NC (US)

(73) Assignee: **Belwith International, Ltd.**,
Grandville, MI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/092,260**

(22) Filed: **Aug. 14, 1998**

(51) **LOC (7) Cl.** **08-06**

(52) **U.S. Cl.** **D8/310**

(58) **Field of Search** D8/300, 307, 310,
D8/313, 315-20, 350, 352, 353; 16/110 R,
111 R, 121, 124, 402; 292/347, 352

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D. 71,901 * 1/1927 Brock .
- D. 98,439 * 2/1936 Martin .
- D. 102,023 * 11/1936 Adams .
- D. 103,324 * 2/1937 Jones .
- D. 121,562 * 7/1940 Borchers .
- D. 201,121 * 5/1965 Heyer .
- D. 227,855 * 7/1973 Tegner .
- D. 297,211 * 8/1988 Rhoades .

OTHER PUBLICATIONS

Jaybee/Ajax Cat.; p. 13; knob 5324, 1987.*
Belwith Cat; No. 687; p. 13; knob. P407 3.*
Belwith Cat.; No. 687; p. 10, pull P 251 & hinge plate P 295.*

* cited by examiner

Primary Examiner—B. J. Bullock

(74) *Attorney, Agent, or Firm*—Rader, Fishman & Grauer PLLC


(57) **CLAIM**

The ornamental design for a pull, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a pull of the present invention;
FIG. 2 is a right side elevational view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a cross-sectional view taken on line 4—4 of FIG. 1;
FIG. 5 is a front elevational view of a second embodiment of the pull of the present invention;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a top view thereof; and,
FIG. 8 is a cross-sectional view taken on line 8—8 of FIG. 5.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8