



US00D442104S

(12) **United States Design Patent**  
**Costa et al.**

(10) **Patent No.:** **US D442,104 S**

(45) **Date of Patent:** **\*\* May 15, 2001**

(54) **COMBINED HORN AND STROBE ALARM SIGNAL**

(75) Inventors: **Hilario S. Costa**, Sarasota; **Robert Right**, Holmes Beach; **Bruno Drudi**, Port Charlotte, all of FL (US)

(73) Assignee: **General Signal Corp.**, Muskegon, MI (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/122,299**

(22) Filed: **Apr. 25, 2000**

(51) **LOC (7) Cl.** ..... **10-05**

(52) **U.S. Cl.** ..... **D10/106**

(58) **Field of Search** ..... D10/104, 106,  
D10/116, 121; 340/540, 545, 550, 565,  
571, 572, 573

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D. 339,079	*	9/1993	Behlke	.....	D10/106
D. 416,260		11/1999	Harvey et al.	.....	D14/215
5,914,665		6/1999	Thorp et al.	.....	340/691.1

\* cited by examiner

*Primary Examiner*—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—Pepper Hamilton, LLP

(57) **CLAIM**

The ornamental design for a combined horn and strobe alarm signal, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the combined horn and strobe alarm signal showing first and second embodiments of our new design;

FIG. 2 is a front view of the first and second embodiments of the combined horn and strobe alarm signal of FIG. 1;

FIG. 3 is a rear view of the first embodiment of the combined horn and strobe alarm signal of FIG. 1;

FIG. 4 is a top view of the first embodiment of the combined horn and strobe alarm signal of FIG. 1;

FIG. 5 is a bottom view of the first embodiment of the combined horn and strobe alarm signal of FIG. 1;

FIG. 6 is a right side view of the first embodiment of the combined horn and strobe alarm signal of FIG. 1;

FIG. 7 is a left side view of the first embodiment of the combined horn and strobe alarm signal of FIG. 1;

FIG. 8 is a rear view of the second embodiment of the combined horn and strobe alarm signal of FIG. 1;

FIG. 9 is a right side view of the second embodiment of the combined horn and strobe alarm signal of FIG. 1;

FIG. 10 is a left side view of the second embodiment of the combined horn and strobe alarm signal of FIG. 1;

FIG. 11 is a top view of the second embodiment of the combined horn and strobe alarm signal of FIG. 1;

FIG. 12 is a bottom view of the second embodiment of the combined horn and strobe alarm signal of FIG. 1;

FIG. 13 is a perspective view of a third embodiment of the combined horn and strobe alarm signal of our new design;


FIG. 14 is a front view of the third embodiment of the combined horn and strobe alarm signal of FIG. 13;

FIG. 15 is a side view of the third embodiment of the combined horn and strobe alarm signal of FIG. 13, the other side view being a mirror image thereof;

FIG. 16 is a top view of the third embodiment of the combined horn and strobe alarm signal of FIG. 13; and,


FIG. 17 is a bottom view of the third embodiment of the combined horn and strobe alarm signal of FIG. 13.

**1 Claim, 7 Drawing Sheets**







**FIG. 1**




**FIG. 2**









**FIG. 3**




**FIG. 4**




**FIG. 5**



**FIG. 6**




**FIG. 7**




**FIG. 8**







**FIG. 9**



**FIG. 10**




**FIG. 11**




**FIG. 12**





**FIG. 13**








**FIG. 14**



**FIG. 15**



**FIG. 16**



**FIG. 17**