



US00D442104S

(12) **United States Design Patent**
Costa et al.

(10) **Patent No.:** **US D442,104 S**

(45) **Date of Patent:** **** May 15, 2001**

(54) **COMBINED HORN AND STROBE ALARM SIGNAL**

(75) Inventors: **Hilario S. Costa**, Sarasota; **Robert Right**, Holmes Beach; **Bruno Drudi**, Port Charlotte, all of FL (US)

(73) Assignee: **General Signal Corp.**, Muskegon, MI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/122,299**

(22) Filed: **Apr. 25, 2000**

(51) **LOC (7) Cl.** **10-05**

(52) **U.S. Cl.** **D10/106**

(58) **Field of Search** D10/104, 106,
D10/116, 121; 340/540, 545, 550, 565,
571, 572, 573

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|------------|---|---------|---------------|-------|-----------|
| D. 339,079 | * | 9/1993 | Behlke | | D10/106 |
| D. 416,260 | | 11/1999 | Harvey et al. | | D14/215 |
| 5,914,665 | | 6/1999 | Thorp et al. | | 340/691.1 |

* cited by examiner

Primary Examiner—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—Pepper Hamilton, LLP

(57) **CLAIM**

The ornamental design for a combined horn and strobe alarm signal, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the combined horn and strobe alarm signal showing first and second embodiments of our new design;

FIG. 2 is a front view of the first and second embodiments of the combined horn and strobe alarm signal of FIG. 1;

FIG. 3 is a rear view of the first embodiment of the combined horn and strobe alarm signal of FIG. 1;

FIG. 4 is a top view of the first embodiment of the combined horn and strobe alarm signal of FIG. 1;

FIG. 5 is a bottom view of the first embodiment of the combined horn and strobe alarm signal of FIG. 1;

FIG. 6 is a right side view of the first embodiment of the combined horn and strobe alarm signal of FIG. 1;

FIG. 7 is a left side view of the first embodiment of the combined horn and strobe alarm signal of FIG. 1;

FIG. 8 is a rear view of the second embodiment of the combined horn and strobe alarm signal of FIG. 1;

FIG. 9 is a right side view of the second embodiment of the combined horn and strobe alarm signal of FIG. 1;

FIG. 10 is a left side view of the second embodiment of the combined horn and strobe alarm signal of FIG. 1;

FIG. 11 is a top view of the second embodiment of the combined horn and strobe alarm signal of FIG. 1;

FIG. 12 is a bottom view of the second embodiment of the combined horn and strobe alarm signal of FIG. 1;

FIG. 13 is a perspective view of a third embodiment of the combined horn and strobe alarm signal of our new design;

FIG. 14 is a front view of the third embodiment of the combined horn and strobe alarm signal of FIG. 13;

FIG. 15 is a side view of the third embodiment of the combined horn and strobe alarm signal of FIG. 13, the other side view being a mirror image thereof;

FIG. 16 is a top view of the third embodiment of the combined horn and strobe alarm signal of FIG. 13; and,

FIG. 17 is a bottom view of the third embodiment of the combined horn and strobe alarm signal of FIG. 13.

1 Claim, 7 Drawing Sheets




FIG. 1





FIG. 2






FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14

FIG. 15





FIG. 16




FIG. 17