



US00D442228S

(12) **United States Design Patent**
Masui

(10) **Patent No.:** **US D442,228 S**

(45) **Date of Patent:** **** May 15, 2001**

(54) **COMBINED DISPLAY AND SWITCH UNIT**

(75) Inventor: **Takuji Masui**, Sakai (JP)

(73) Assignee: **Shimano Inc.**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/128,971**

(22) Filed: **Sep. 7, 2000**

(51) **LOC (7) Cl.** **20-02**

(52) **U.S. Cl.** **D20/19**

(58) **Field of Search** D20/10, 18, 19,
D20/20, 99; D10/104, 106, 121; 340/571,
572, 573, 689

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 379,594 * 6/1997 Fontaine D20/20

* cited by examiner

Primary Examiner—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—Shinju Global IP Counselors, LLP


(57) **CLAIM**

The ornamental design for a combined display and switch unit, as shown and described.

DESCRIPTION

FIG. 1 is a front side perspective view of a combined display and switch unit in accordance with my new design;
FIG. 2 is a front side elevational view of the combined display and switch unit illustrated in FIG. 1;
FIG. 3 is a top plan view of the combined display and switch unit illustrated in FIGS. 1 and 2;
FIG. 4 is a rear elevational view of the combined display and switch unit illustrated in FIGS. 1–3;
FIG. 5 is a bottom plan view of the combined display and switch unit illustrated in FIGS. 1–4;
FIG. 6 is a left side end elevational view of the combined display and switch unit illustrated in FIGS. 1–5; and,
FIG. 7 is a right side end elevational view of the combined display and switch unit illustrated in FIGS. 1–6.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6