



US00D442241S

(12) **United States Design Patent**
Chang

(10) **Patent No.:** **US D442,241 S**

(45) **Date of Patent:** **** May 15, 2001**

(54) **EXERCISER DEVICE**

(76) **Inventor:** **Chang-Hsin Chang**, No. 262, Section 2, His-Tun Rd., Taichung City (TW)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/126,493**

(22) **Filed:** **Jul. 19, 2000**

(51) **LOC (7) Cl.** **21-02**

(52) **U.S. Cl.** **D21/692**

(58) **Field of Search** D21/662, 684,
D21/692, 693; 482/121, 122, 123, 124,
125, 126, 129, 131, 132

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 209,759	*	1/1968	Snyder	D21/692
D. 235,362	*	6/1975	Pray	D21/692
D. 348,707	*	7/1994	Cordell	D21/692
D. 418,564	*	1/2000	Huang et al.	D21/692
4,736,946	*	4/1988	Gordon	482/125
5,261,866	*	11/1993	Mattox	482/125

5,674,163	*	10/1997	Sennett	482/125
5,816,985	*	10/1998	Ho	482/125
5,846,170	*	12/1998	Ho	482/125
6,017,296	*	1/2000	Tang et al.	482/132
6,146,318	*	11/2000	Kuo	482/132

* cited by examiner

Primary Examiner—Philip S. Hyder

(74) *Attorney, Agent, or Firm*—Rosenberg, Klein & Lee


(57) **CLAIM**

The ornamental design for an exerciser device, as shown and described.

DESCRIPTION

FIG. 1 is a front-left-top perspective view of an exerciser device showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof,
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG.6




FIG. 7