



US00D442504S

(12) **United States Design Patent**  
**Stevens**

(10) **Patent No.:** **US D442,504 S**

(45) **Date of Patent:** **\*\* May 22, 2001**

(54) **PEAK STRENGTH TESTER**

5,709,630 \* 1/1998 Froelich, Sr. et al. .... 482/126

(76) Inventor: **James Stevens**, 860 Ski Park Rd., West Branch, MI (US) 48661

\* cited by examiner

(\*\*) Term: **14 Years**

*Primary Examiner*—Antoine Duval Davis

(74) *Attorney, Agent, or Firm*—John R. Benefiel

(21) Appl. No.: **29/123,676**

(57) **CLAIM**

(22) Filed: **May 22, 2000**

The ornamental design for a peak strength tester, as shown and described.

(51) **LOC (7) Cl.** ..... **10-04**

**DESCRIPTION**

(52) **U.S. Cl.** ..... **D10/84**

FIG. 1 is a front view of a peak strength tester according to the present invention.

(58) **Field of Search** ..... D10/83-85; 73/862.53; 482/49, 122, 126, 128, 910

FIG. 2 is a rear view of the peak strength tester shown in FIG. 1.

(56) **References Cited**

FIG. 3 is a side view of the peak strength tester shown in FIGS. 1 and 2.

**U.S. PATENT DOCUMENTS**

FIG. 4 is an end view of the peak strength tester shown in FIGS. 1-3.

3,396,967	*	8/1968	Brown	.....	482/910
3,741,539	*	6/1973	Hutchins et al.	.....	482/126
3,761,083	*	9/1973	Bucher	.....	482/126
4,869,491	*	9/1989	Nolan	.....	482/126
4,913,417	*	4/1990	Francu	.....	482/910

The broken line showing is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 1 Drawing Sheet**




FIG - 1




FIG 2




FIG - 3




FIG - 4

