



US00D442514S

(12) **United States Design Patent** (10) **Patent No.:** **US D442,514 S**
Chan (45) **Date of Patent:** **** May 22, 2001**

(54) **JEWELRY SETTING**

(75) Inventor: **Vicki Chan**, New York, NY (US)

(73) Assignee: **Continental Jewelry (U.S.A.) Inc.**,
New York, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/112,385**

(22) Filed: **Oct. 14, 1999**

(51) **LOC (7) Cl.** **11-01**

(52) **U.S. Cl.** **D11/91**

(58) **Field of Search** D11/1, 2, 89-92,
D11/34, 40, 26, 27, 30, 33, 7, 8; 63/5,
26-29.1

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 33,769	*	12/1900	Hartmann	D11/90
D. 403,611	*	1/1999	Lai	D11/91
D. 411,134	*	6/1999	Lai	D11/92
D. 425,817	*	5/2000	Gurevich et al.	D11/91
D. 427,934	*	7/2000	Lai	D11/92
D. 430,061	*	8/2000	Chan	D11/92
D. 431,204	*	9/2000	Gurevich et al.	D11/92
D. 432,448	*	10/2000	Lai	D11/92
D. 434,694	*	12/2000	Lai	D11/92

* cited by examiner

Primary Examiner—Ralf Seifert

(74) *Attorney, Agent, or Firm*—Baker Botts L.L.P.

(57) **CLAIM**

The ornamental design for a jewelry setting, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a jewelry setting;

FIG. 2 is a top plan view of the jewelry setting of FIG. 1;

FIG. 3 is a front elevational view of the jewelry setting of FIG. 1 with the rear elevational view being identical;

FIG. 4 is a sectional view of one corner of the top plan view of FIG. 2;

FIG. 5 is a perspective view of a second embodiment of a jewelry setting;

FIG. 6 is a top plan view of the jewelry setting of FIG. 5;

FIG. 7 is a front elevational view of the jewelry setting of FIG. 5 with the rear elevational view being identical;

FIG. 8 is a sectional view of one corner of the top plan view of FIG. 6;

FIG. 9 is a perspective view of a third embodiment of a jewelry setting;

FIG. 10 is a top plan view of the jewelry setting of FIG. 9;

FIG. 11 is a front elevational view of the jewelry setting of FIG. 9 with the rear elevational view being identical;

FIG. 12 is a sectional view of one corner of the top plan view of FIG. 10;

FIG. 13 is a perspective view of a forth embodiment of a jewelry setting;

FIG. 14 is a top plan view of the jewelry setting of FIG. 13;

FIG. 15 is a front elevational view of the jewelry setting of FIG. 13 with the rear elevational view being identical;

FIG. 16 is a sectional view of one corner of the top plan view of FIG. 14;

FIG. 17 is a perspective view of a fifth embodiment of a jewelry setting;

FIG. 18 is a top plan view of the jewelry setting of FIG. 17;

FIG. 19 is a front elevational view of the jewelry setting of FIG. 17 with the rear elevational view being identical;

FIG. 20 is a sectional view of one corner of the top plan view of FIG. 18;

FIG. 21 is a perspective view of a sixth embodiment of a jewelry setting;

FIG. 22 is a top plan view of the jewelry setting of FIG. 21;

FIG. 23 is a front elevational view of the jewelry setting of FIG. 21 with the rear elevational view being identical;

FIG. 24 is a sectional view of one corner of the top plan view of FIG. 22;

FIG. 25 is a perspective view of a seventh embodiment of a jewelry setting;

FIG. 26 is a top plan view of the jewelry setting of FIG. 25;

FIG. 27 is a front elevational view of the jewelry setting of FIG. 25 with the rear elevational view being identical;




FIG. 28 is a sectional view of one cover of the top plan view of FIG. 26;

FIG. 29 is a perspective view of an eighth embodiment of a jewelry setting;

FIG. 30 is a top plan view of the jewelry setting of FIG. 29;

FIG. 31 is a front elevational view of the jewelry setting of FIG. 29 with the rear elevational view being identical;

FIG. 32 is a sectional view of one corner of the top plan view of FIG. 30;

FIG. 33 is a perspective view of a ninth embodiment of a jewelry setting;

FIG. 34 is a top plan view of the jewelry setting of FIG. 33;

FIG. 35 is a front elevational view of the jewelry setting of FIG. 33 with the rear elevational view being identical;

FIG. 36 is a sectional view of one corner of the top plan view of FIG. 34;

FIG. 37 is a perspective view of a tenth embodiment of a jewelry setting;

FIG. 38 is a top plan view of the jewelry setting of FIG. 37;

FIG. 39 is a front elevational view of the jewelry setting of FIG. 37 with the rear elevational view being identical;

FIG. 40 is a sectional view of one corner of the top plan view of FIG. 38;

FIG. 41 is a perspective view of an eleventh embodiment of a jewelry setting;

FIG. 42 is a top plan view of the jewelry setting of FIG. 41;

FIG. 43 is a front elevational view of the jewelry setting of FIG. 41 with the rear elevational view being identical;

FIG. 44 is a sectional view of one corner of the top plan view of FIG. 42;

FIG. 45 is a perspective view of a twelfth embodiment of a jewelry setting;

FIG. 46 is a top plan view of the jewelry setting of FIG. 45;

FIG. 47 is a front elevational view of the jewelry setting of FIG. 45 with the rear elevational view being identical; and,

FIG. 48 is a sectional view of one corner of the top plan view of FIG. 46.

The broken lines in the figures are for illustrative purposes only and form no part of the claimed design.

1 Claim, 24 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19





FIG. 20



F I G . 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27





FIG. 28



F I G. 29




FIG. 30




FIG. 31





FIG. 32



F I G. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des 442,514 S
DATED : May 22, 2001
INVENTOR(S) : Chan

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page.

Item [56], **References Cited**, U.S PATENT DOCUMENTS, should be read

-- D 273,666 5/1/84 Hayashi
D 275,660 9/25/84 Carroll
D 403,611 1/5/99 Lai
D 411,134 6/22/99 Lai
5,671,613 9/30/97 Hoover et al. --

OTHER DOCUMENTS, should read

-- Rio Grande Albuquerque 1991-1992 Catalog, Finding & Chains Item upper right of page 51. --


DESCRIPTION,

FIG. 45: "and," should read -- and --

Signed and Sealed this

Thirtieth Day of April, 2002

Attest:



Attesting Officer

JAMES E. ROGAN
Director of the United States Patent and Trademark Office