

(12) United States Design Patent (10) Patent No.: US D442,564 S ****** May 22, 2001 Ohkuma (45) **Date of Patent:**

- **REMOTE CONTROLLER FOR MASSAGE** (54)CHAIR
- Yumiko Ohkuma, Tokyo (JP) (75)Inventor:
- Assignee: Toshiba Tec Kabushiki Kaisha (JP) (73)
- 14 Years (**) Term:
- Appl. No.: 29/126,616 (21)

2/1997 Young D13/168 X 5,606,143 *

* cited by examiner

Primary Examiner—Brian N. Vinson (74) Attorney, Agent, or Firm-Morrison Law Firm

(57)CLAIM

The ornamental design for a remote controller for massage chair, as shown and described.

Jul. 20, 2000 Filed: (22)

Foreign Application Priority Data (30)

(JP) 12-000747 Jan. 21, 2000

- LOC (7) Cl. 14-03 (51)
- (52)
- (58)D14/117.1, 117.9, 218; 340/825.72; 341/176; 455/419, 90, 91, 92, 95, 151.1, 151.2, 352

References Cited (56)

U.S. PATENT DOCUMENTS

D. 302,544	≉	8/1989	Spira D13/168
D. 322,611	*	12/1991	Bang D14/218
D. 363,550	≉	10/1995	Teo et al D13/168 X
D. 389,806	≉	1/1998	Nielsen D13/168
D. 399,209	*	10/1998	Yamagishi D14/218
D. 407,695	≉	4/1999	Hwang D13/168

DESCRIPTION FIG. 1 is a top, right side perspective view of a remote

controller for massage chair showing my design; FIG. 2 is a bottom, rear side perspective view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a left side elevational view thereof, the right side being the same; FIG. 6 is a rear end elevational view thereof; FIG. 7 is a front end elevational view thereof; FIG. 8 a top plan view thereof when a top cover has been slid from a rear to a front cover position; FIG. 9 is the same as FIG. 3 but with an indication signal showing; and, FIG. 10 is the same as FIG. 8 but with an indication signal showing.

1 Claim, 4 Drawing Sheets



U.S. Patent May 22, 2001 Sheet 1 of 4 US D442,564 S

FIG. I



FIG. 2



U.S. Patent US D442,564 S May 22, 2001 Sheet 2 of 4 FIG. 3 FIG. 4 FIG. 5







FIG. 6



FIG. 7



U.S. Patent May 22, 2001 Sheet 3 of 4 US D442,564 S

FIG. 8



U.S. Patent May 22, 2001 Sheet 4 of 4 US D442,564 S

FIG. 9

FIG. IO



