

(12) United States Design Patent (10) Patent No.: US D442,640 S ****** May 22, 2001 Hayashi (45) **Date of Patent:**

GAME MACHINE (54)

- **Ryoji Hayashi**, Kanagawa-ken (JP) Inventor: (75)
- Assignee: Konami Co., Ltd., Hyogo-ken (JP) (73)

14 Years (**) Term:

- Appl. No.: 29/112,998 (21)
- Oct. 27, 1999 (22) Filed:

OTHER PUBLICATIONS

P. 88 of the monthly magazine "Game Machine in Taiwan" published Jul. 1997.

The cover of the monthly magazine Game Machine in Taiwan published Jul. 1997.

* cited by examiner

Primary Examiner—Prabhakar Deshmukh (74) Attorney, Agent, or Firm—Jordan and Hamburg LLP

Related U.S. Application Data

(62)Division of application No. 29/083,266, filed on Feb. 6, 1998.

Foreign Application Priority Data (30)

g. 8, 1997	(JP)	
g. 8, 1997		
g. 8, 1997	(JP)	
LOC (7)	Cl.	
U.S. Cl.	• • • • • • • • • • • • • • • • • • • •	
	C 1	D01/001 007
Field of	Search	D21/324–327;
Field of		
	g. 8, 1997 g. 8, 1997 g. 8, 1997 g. 8, 1997 g. 8, 1997 g. 8, 1997 J. U.S. Cl.	g. 8, 1997 (JP) g. 8, 1997 (JP) g. 8, 1997 (JP) g. 8, 1997 (JP) g. 8, 1997 (JP) JOC (7) Cl. U.S. Cl.

References Cited

(56)

U.S. PATENT DOCUMENTS

CLAIM (57)

The ornamental design for a game machine, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a first embodiment of a game machine showing my new design; FIG. 2 is a rear elevational view of the first embodiment; FIG. 3 is a top plan view of the first embodiment; FIG. 4 is a bottom plan view of the first embodiment; FIG. 5 is a left side elevational view of the first embodiment; FIG. 6 is a right side elevational view of the first embodiment; FIG. 7 is a sectional view of the first embodiment taken along line 7—7 of FIG. 1; FIG. 8 is a perspective view of the first embodiment;

FIG. 9 is a front elevational view of a second embodiment; FIG. 10 is a rear elevational view of the second embodiment; FIG. 11 is a top plan view of the second embodiment; FIG. 12 is a bottom plan view of the second embodiment;

D. 293,120	≉	12/1987	De Prins D21/325
D. 297,655	≉	9/1988	Daugherty D21/325
D. 325,420	*	4/1992	Mirando et al D21/325
D. 327,508	*	6/1992	Mirando et al D21/325
4,643,421	*	2/1987	Meyer et al 463/1
5,411,257	*	5/1995	Fulton 463/13
5,591,081	≉	1/1997	Suzuki 463/17
5,820,460	≉	10/1998	Fulton 463/26 X
5,855,374	≉	1/1999	Shoemaker, Jr 273/447

FOREIGN PATENT DOCUMENTS

769209	9/1989	(JP) .
864642	3/1993	(JP) .

FIG. 13 is a left side elevational view of the second embodiment;

FIG. 14 is a right side elevational view of the second embodiment;

FIG. 15 is a sectional view of the second embodiment taken along line 15—15 of FIG. 9;

FIG. 16 is a perspective view of the second embodiment;

FIG. 17 is a front elevational view of a third embodiment;

FIG. 18 is a rear elevational view of the third embodiment; FIG. 19 is a top plan view of the third embodiment; FIG. 20 is a bottom plan view of the third embodiment; FIG. 21 is a left side elevational view of the third embodiment;



US D442,640 S

Page 2

FIG. 22 is a right side elevational view of the third embodiment;

FIG. 23 is a sectional view of the third embodiment taken along line 23—23 of FIG. 17;

FIG. 24 is a perspective view of the third embodiment;FIG. 25 is a front elevational view of a fourth embodiment;FIG. 26 is a rear elevational view of the fourth embodiment;FIG. 27 is a top plan view of the fourth embodiment;

FIG. 28 is a bottom plan view of the fourth embodiment;

FIG. 29 is a left side elevational view of the fourth embodiment;

FIG. 30 is a right side elevational view of the fourth embodiment;

FIG. **31** is a sectional view of the fourth embodiment taken along line **31—31** of FIG. **25**; and,

FIG. 32 is a perspective view of the fourth embodiment.

1 Claim, 32 Drawing Sheets

U.S. Patent May 22, 2001 Sheet 1 of 32 US D442,640 S



7-14



U.S. Patent May 22, 2001 Sheet 2 of 32 US D442,640 S



:





U.S. Patent May 22, 2001 Sheet 3 of 32 US D442,640 S



U.S. Patent May 22, 2001 Sheet 4 of 32 US D442,640 S

.



- 11	
- 11	
- 11-	
- 11	
- (1	F
- []	
- 11	
11-	
_ [_	
_ i	
_ ⊢ -	
11	
11	
- 11	
- !	
H	
- 11	
- 11	
11	
11	
11	fi i i i i i i i i i i i i i i i i i i
11	
- 11 -	
H	
<u> </u>	

FIG.4

.

,

U.S. Patent May 22, 2001 Sheet 5 of 32 US D442,640 S



U.S. Patent May 22, 2001 Sheet 6 of 32 US D442,640 S



\	



U.S. Patent May 22, 2001 Sheet 7 of 32 US D442,640 S





U.S. Patent May 22, 2001 Sheet 8 of 32 US D442,640 S



U.S. Patent May 22, 2001 Sheet 9 of 32 US D442,640 S



U.S. Patent May 22, 2001 Sheet 10 of 32 US D442,640 S







U.S. Patent May 22, 2001 Sheet 11 of 32 US D442,640 S



FIG. 11

U.S. Patent May 22, 2001 Sheet 12 of 32 US D442,640 S

=	1



	t/
	11
	11
1	I
	11
	I I
	E E E
	11
	11
	11
	11
	11
19	
- F 2	11
	ł
	11
	[]
	!!



•

U.S. Patent May 22, 2001 Sheet 13 of 32 US D442,640 S



U.S. Patent May 22, 2001 Sheet 14 of 32 US D442,640 S





.

U.S. Patent May 22, 2001 Sheet 15 of 32 US D442,640 S





U.S. Patent May 22, 2001 Sheet 16 of 32 US D442,640 S



U.S. Patent May 22, 2001 Sheet 17 of 32 US D442,640 S



U.S. Patent May 22, 2001 Sheet 18 of 32 US D442,640 S





U.S. Patent May 22, 2001 Sheet 19 of 32 US D442,640 S



U.S. Patent May 22, 2001 Sheet 20 of 32 US D442,640 S

I	1 ł		
	1 T		Į
<i>I</i>	4 7	• 1	Ŧ



U.S. Patent May 22, 2001 Sheet 21 of 32 US D442,640 S



			-11
		\	
	·		



U.S. Patent May 22, 2001 Sheet 22 of 32 US D442,640 S



© T	





U.S. Patent May 22, 2001 Sheet 23 of 32 US D442,640 S



Comming (

U.S. Patent May 22, 2001 Sheet 24 of 32 US D442,640 S



U.S. Patent May 22, 2001 Sheet 25 of 32 US D442,640 S



U.S. Patent May 22, 2001 Sheet 26 of 32 US D442,640 S



	· · ·
Č	
	-



U.S. Patent May 22, 2001 Sheet 27 of 32 US D442,640 S



U.S. Patent May 22, 2001 Sheet 28 of 32 US D442,640 S



-	
j	
1	
1	

FIG. 28

•

.

.

U.S. Patent May 22, 2001 Sheet 29 of 32 US D442,640 S





U.S. Patent May 22, 2001 Sheet 30 of 32 US D442,640 S





U.S. Patent May 22, 2001 Sheet 31 of 32 US D442,640 S



•



U.S. Patent May 22, 2001 Sheet 32 of 32 US D442,640 S

