



US00D442929S

(12) **United States Design Patent**
Eckholm

(10) **Patent No.:** **US D442,929 S**

(45) **Date of Patent:** **** May 29, 2001**

(54) **WIRELESS COMMUNICATION DEVICE**

(75) Inventor: **Hans Fredrik Eckholm**, Raleigh, NC
(US)

(73) Assignee: **Telefonaktiebolaget L.M. Ericsson**,
Stockholm (SE)

(**) Term: **14 Years**

(21) Appl. No.: **29/131,382**

(22) Filed: **Oct. 20, 2000**

(51) **LOC (7) Cl.** **14-03**

(52) **U.S. Cl.** **D14/138**

(58) **Field of Search** D14/137, 138,
D14/218, 147-148, 247-248; 379/433.434,
419, 420, 428, 440; 455/550-575, 90

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 388,428	*	12/1997	Lindahl et al.	D14/138
D. 392,286	*	3/1998	Eckholm	D14/138
D. 407,718	*	4/1999	Lee	D14/138
D. 413,325	*	8/1999	Lee	D14/138
D. 414,487	*	9/1999	Sun	D14/138
D. 419,551	*	1/2000	Sun	D14/138
D. 422,276	*	4/2000	Collins et al.	D14/138
D. 423,494	*	4/2000	Waldner	D14/138
D. 426,530	*	6/2000	Sun	D14/138
5,915,015	*	6/1999	Thornton	379/433
5,930,353	*	7/1999	Lee et al.	379/433
6,047,166	*	4/2000	Lan	455/90
6,091,815	*	7/2000	Ryu et al.	379/433

OTHER PUBLICATIONS

Jun. 1997 Mobile Computing & Communications, p. 44,
Ericsson PCS-1900.*

Dec. 1997 Mobile Computing & Communications, reader
service #40, Samsung telephone.*

Jan. 16, 1998 Japanese publication showing Fujitsu D311II
telephone.*

* cited by examiner

Primary Examiner—Jeffrey Asch

(74) *Attorney, Agent, or Firm*—Myers Bigel Sibley &
Sajovec, P.A.

(57) **CLAIM**

The ornamental design for a wireless communication
device, as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of the wireless communi-
cation device showing my design with the flip cover in an
open position;

FIG. 2 is a front view thereof;

FIG. 3 is a front view of an alternate embodiment of my
design for the wireless communication device;

FIG. 4 is a front view of the wireless communication device
illustrating the flip cover in a closed position overlying a
portion of the body of the wireless communication device,
with the antenna in a stow position;

FIG. 5 is a side view thereof;

FIG. 6 is an opposing side view thereof;



FIG. 7 is a top end view thereof;

FIG. 8 is a bottom end view thereof; and,

FIG. 9 is a rear view thereof.

FIGS. 2 and 3 illustrate the antenna longitudinally extended
a distance away from the body of the wireless communi-
cation device. FIGS. 4-9 correspond to both embodiments of
the design, as shown in FIGS. 2 and 3, respectively, except
that the antenna is shown in FIGS. 4-9 in a stow position.

1 Claim, 4 Drawing Sheets






FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.




FIG. 5.




FIG. 6.




FIG. 7.




FIG. 8.




FIG. 9.