



US00D443085S

(12) **United States Design Patent**
Dalton et al.

(10) **Patent No.:** **US D443,085 S**

(45) **Date of Patent:** **** May 29, 2001**

(54) **FLASHLIGHT**

D. 385,265 * 10/1997 Knowles et al. D26/37

(75) Inventors: **David R. Dalton**, Turramurra; **John R. Brown**, Mosman; **Angelo Kotsis**, Marrickville, all of (AU)

* cited by examiner

Primary Examiner—Marcus A. Jackson
(74) *Attorney, Agent, or Firm*—Robert W. Welsh

(73) Assignee: **Eveready Battery Company, Inc.**, St. Louis, MO (US)

(57) **CLAIM**

(**) Term: **14 Years**

We claim the ornamental design for the flashlight, as shown and described.

(21) Appl. No.: **29/102,987**

DESCRIPTION

(22) Filed: **Apr. 6, 1999**

(30) **Foreign Application Priority Data**

Mar. 3, 1999 (AU) 675/99

(51) **LOC (7) Cl.** **26-02**

(52) **U.S. Cl.** **D26/37**

(58) **Field of Search** D26/37-50; 362/157,
362/158, 183-208

FIG. 1 is a front perspective view of a flashlight showing our new design;

FIG. 2 is a top plan view of the flashlight;

FIG. 3 is a bottom plan view;

FIG. 4 is a left side elevation view, the right side being a mirror image;

FIG. 5 is a front elevation view;

FIG. 6 is a rear elevation view; and,


FIG. 7 is a rear perspective view.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 376,859 * 12/1996 Garrity, Sr. D26/37

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7