



US00D443115S

(12) **United States Design Patent**
Brite et al.

(10) **Patent No.:** **US D443,115 S**

(45) **Date of Patent:** **** May 29, 2001**

(54) **BACK SUPPORT VEST**

5,274,851 * 1/1994 Simpkins, Sr. et al. 2/102
5,946,726 * 9/1999 Green 2/102 X
6,009,874 * 1/2000 Sartin et al. 128/869

(76) Inventors: **Colleen Brite**, 825A Diamond Hill Rd.,
Woonsocket, RI (US) 02895; **Drew P.**
Courtemanche, P.O. Box 669,
Slatersville, RI (US) 02876

* cited by examiner

Primary Examiner—Louis S. Zarfaz
Assistant Examiner—Robert A. Delehanty

(**) Term: **14 Years**

(21) Appl. No.: **29/101,425**

(57) **CLAIM**

(22) Filed: **Mar. 4, 1999**

The ornamental design for a back support vest, as shown and described.

(51) **LOC (7) Cl.** **02-02**

DESCRIPTION

(52) **U.S. Cl.** **D29/100; D24/190**

(58) **Field of Search** D29/100, 101,

D29/122, 124; D2/626, 829, 830, 860;
2/455-457, 462-463, 467, 48, 51, 92, 102-103,
105, 913-915; 182/3; 441/88, 106, 108,
111, 117; 362/108; D24/190; 128/869; D21/865

FIG. 1 is a front elevational view of the back support vest of the present invention;

FIG. 2 is a back elevational view of the back support vest of FIG. 1;

FIG. 3 is a left side elevational view of the back support vest of FIG. 1;

FIG. 4 is a right side elevational view of the back support vest of FIG. 1;

FIG. 5 is a top plan view of the back support vest of FIG. 1; and,

FIG. 6 is a bottom plan view of the back support vest of FIG. 1.


The broken lines in the drawing are understood to represent stitching.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D. 295,456 * 5/1988 Parr D2/860
- D. 334,063 * 3/1993 DeWall D24/190
- D. 381,429 * 7/1997 Millwood D24/190
- D. 399,003 * 9/1998 Hall et al. D24/190
- 2,940,443 * 6/1960 Baker 2/102
- 3,638,258 * 2/1972 Black 441/92 X
- 5,093,932 * 3/1992 Doyle 2/914

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6