

US00D443250S

# (12) United States Design Patent (10) Patent No.:

US D443,250 S Jun. 5, 2001 (45) Date of Patent: Lee

## COLOR-CODED POWER CENTER HAVING PERIPHERAL-SPECIFIC INDICIA

Kendrew Lee, Fremont, CA (US) Inventor:

Assignee: Monster Cable Products, Inc.,

Brisbane, CA (US)

14 Years Term:

Appl. No.: 29/130,114

Filed: Sep. 26, 2000

U.S. Cl. D13/139.8 (52)

(58)D13/139.6–138.8, 137.1–137.2; 439/638, 650–655, 954, 107

**References Cited** (56)

### U.S. PATENT DOCUMENTS

D. 368,467	*	4/1996	Parshad	D13/139.8
D. 368,893	*	4/1996	Harwood et al	D13/139.8
6,054,657	*	4/2000	Liao	439/652 X

<sup>\*</sup> cited by examiner

Primary Examiner—Susan J. Lucas Assistant Examiner—Jennifer Rivard (74) Attorney, Agent, or Firm—Lariviere, Grubman & Payne, LLP

#### (57)CLAIM


The ornamental design for a color-coded power center having peripheral-specific indicia, as shown and described.

## DESCRIPTION

A portion of the disclosure of the this design patent application document contains material to which a claim for copyright is also made. The copyright owner has no objection to the facsimile reproduction of this design patent application by anyone as it appears in the Patent and Trademark Office patent file or records, but reserves all other copyrights whatsoever.

- FIG. 1 is a perspective view of the color-coded power center having peripheral-specific indicia, in accordance with the present invention.
- FIG. 2 is a plan view of the color-coded power center having peripheral-specific indicia, in accordance with the present invention, as depicted in FIG. 1.
- FIG. 3 is a frontal view of the color-coded power center having peripheral-specific indicia, in accordance with the present invention, as depicted in FIG. 1.
- FIG. 4 is a side view of the color-coded power center having peripheral-specific indicia, in accordance with the present invention, as depicted in FIG. 1.
- FIG. 5 is an underside of the color-coded power center having peripheral-specific indicia, in accordance with the present invention, as depicted in FIG. 1.
- FIG. 6 is a rear view of the color-coded power center having peripheral-specific indicia, in accordance with the present invention, as depicted in FIG. 1; and,
- FIG. 7 is a corresponding side view of the color-coded power center having peripheral-specific indicia, in accordance with the present invention, as depicted in FIG. 1.

## 1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7