



US00D443285S

(12) **United States Design Patent**
Sasaki et al.

(10) **Patent No.:** **US D443,285 S**

(45) **Date of Patent:** **** Jun. 5, 2001**

(54) **ROD-END BEARING**

(75) Inventors: **Gen Sasaki; Shinichi Akao**, both of Nagano-ken (JP)

(73) Assignee: **Minebea Co., Ltd.**, Nagano (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/116,236**

(22) Filed: **Dec. 30, 1999**

(30) **Foreign Application Priority Data**

Jul. 7, 1999 (JP) 11-18127

(51) **LOC (7) Cl.** **15-09**

(52) **U.S. Cl.** **D15/143**

(58) **Field of Search** D8/356; D15/143; 264/242, 264; 384/206, 207; 425/DIG. 34

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 236,020 * 7/1975 Wachter D15/143

2,753,225 * 7/1956 Gilmer, III 384/207
3,746,408 * 7/1973 Wachter et al. D15/143 X
4,043,617 * 8/1977 Cain et al. 384/207
4,678,350 * 7/1987 Stats 384/207

* cited by examiner

Primary Examiner—Antoine Duval Davis

(74) *Attorney, Agent, or Firm*—Staas & Halsey LLP

(57) **CLAIM**

The ornamental design for a rod-end bearing, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a rod-end bearing showing our new design;

FIG. 2 is a rear view thereof;

FIG. 3 is a left side view thereof (the right side is being a mirror image thereof);

FIG. 4 is a top plane view thereof; and,

FIG. 5 is a bottom plane view thereof.

1 Claim, 5 Drawing Sheets



FIG 1



FIG. 2




FIG. 3





FIG. 4






FIGURE 5