



US00D443285S

(12) **United States Design Patent**
Sasaki et al.

(10) **Patent No.:** **US D443,285 S**

(45) **Date of Patent:** **** Jun. 5, 2001**

- (54) **ROD-END BEARING**
- (75) Inventors: **Gen Sasaki; Shinichi Akao**, both of Nagano-ken (JP)
- (73) Assignee: **Minebea Co., Ltd.**, Nagano (JP)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/116,236**
- (22) Filed: **Dec. 30, 1999**
- (30) **Foreign Application Priority Data**
Jul. 7, 1999 (JP) 11-18127
- (51) **LOC (7) Cl.** **15-09**
- (52) **U.S. Cl.** **D15/143**
- (58) **Field of Search** D8/356; D15/143; 264/242, 264; 384/206, 207; 425/DIG. 34
- (56) **References Cited**
U.S. PATENT DOCUMENTS
D. 236,020 * 7/1975 Wachter D15/143

2,753,225	*	7/1956	Gilmer, III	384/207
3,746,408	*	7/1973	Wachter et al.	D15/143 X
4,043,617	*	8/1977	Cain et al.	384/207
4,678,350	*	7/1987	Stats	384/207

* cited by examiner

Primary Examiner—Antoine Duval Davis
(74) *Attorney, Agent, or Firm*—Staas & Halsey LLP

(57) **CLAIM**

The ornamental design for a rod-end bearing, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a rod-end bearing showing our new design;
FIG. 2 is a rear view thereof;
FIG. 3 is a left side view thereof (the right side is being a mirror image thereof);
FIG. 4 is a top plane view thereof; and,
FIG. 5 is a bottom plane view thereof.

1 Claim, 5 Drawing Sheets



FIG 1



FIG. 2





FIG. 3



FIG. 4






FIGURE 5