



US00D443502S

(12) **United States Design Patent**
Yoshiguchi

(10) **Patent No.:** **US D443,502 S**

(45) **Date of Patent:** **** Jun. 12, 2001**

(54) **LOOP CLUTCH**

(75) Inventor: **Manabu Yoshiguchi**, Yokohama (JP)

(73) Assignee: **Nifco Inc.**, Yokohama (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/124,053**

(22) Filed: **May 30, 2000**

(30) **Foreign Application Priority Data**

Dec. 10, 1999	(JP)	11-33953
Dec. 10, 1999	(JP)	11-33954

(51) **LOC (7) Cl.** **08-05**

(52) **U.S. Cl.** **D8/367**

(58) **Field of Search** D8/367, 382; 24/599.8,
24/265 R, 265 H, 598.4, 599.5

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 296,301	*	6/1988	Kasai	D8/382
D. 348,385	*	7/1994	Krauss	D8/367
D. 365,978	*	1/1996	Rekuc et al.	D8/367
D. 413,789	*	9/1999	Striebel	D8/367
4,868,954	*	9/1989	Kasai	24/601.2

* cited by examiner

Primary Examiner—Holly Baynham

(74) *Attorney, Agent, or Firm*—Kanesaka & Takeuchi


(57) **CLAIM**

The ornamental design for a loop clutch, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a loop clutch showing my new design;
 FIG. 2 is a rear view thereof;
 FIG. 3 is a top plan view thereof;
 FIG. 4 is a bottom plan view thereof;
 FIG. 5 is a left side view thereof, the right side view being symmetrical to the left side view;
 FIG. 6 is a cross sectional view taken along line 6—6 in FIG. 5;
 FIG. 7 is a perspective view thereof;
 FIG. 8 is a front view of another embodiment of the loop clutch in FIGS. 1–7;
 FIG. 9 is a rear view of FIG. 8;
 FIG. 10 is a top plan view of FIG. 8; and,
 FIG. 11 is a bottom plan view of FIG. 8.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11