



US00D443584S

(12) **United States Design Patent**
Breyton

(10) **Patent No.:** **US D443,584 S**

(45) **Date of Patent:** **** Jun. 12, 2001**

(54) **HOUSING FOR BATTERIES**

(75) Inventor: **Gilbert Breyton, Vaux/Mer (FR)**

(73) Assignee: **AGLO (FR)**

(**) Term: **14 Years**

(21) Appl. No.: **29/111,304**

(22) Filed: **Sep. 24, 1999**

(30) **Foreign Application Priority Data**

Mar. 25, 1999 (FR) 99 1980

(51) **LOC (7) Cl.** **13-02**

(52) **U.S. Cl.** **D13/103**

(58) **Field of Search** D13/103; 429/96-100,
429/159, 163, 176

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D. 365,801 * 1/1996 Lindahl D13/103
- D. 389,455 * 1/1998 Lindahl D13/103
- D. 399,818 * 10/1998 Lindahl D13/103
- D. 404,005 * 1/1999 Lindahl D13/103

- D. 405,752 * 2/1999 Mason D13/103
- D. 406,097 * 2/1999 Lindahl D13/103

* cited by examiner

Primary Examiner—Joel Sincavage

(74) *Attorney, Agent, or Firm*—Piper Marbury Rudnick & Wolfe

(57) **CLAIM**

The ornamental design for a housing for batteries, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a housing for batteries
 FIG. 2 is a view from above
 FIG. 3 is a side view from the right (the other side being mirror view)
 FIG. 4 is a view from the lower face
 FIG. 5 is an end view from the left side of FIG. 2
 FIG. 6 is an end view from the right side of FIG. 2; and,
 FIG. 7 is a view from the lower face showing a second embodiment of a housing for batteries with three contacts.
 Other views of the second embodiment are the same as FIGS. 1-3 and 6.

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

