



US00D443588S

(12) **United States Design Patent**
Nishio et al.

(10) **Patent No.:** **US D443,588 S**

(45) **Date of Patent:** **** Jun. 12, 2001**

(54) **CONNECTOR**

(75) Inventors: **Atsushi Nishio; Yoshikazu Abe;**
Satoru Kushida, all of Mito (JP)

(73) Assignee: **Mitsumi Electric Co., Ltd.**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/117,898**

(22) Filed: **Feb. 1, 2000**

(30) **Foreign Application Priority Data**

Aug. 6, 1999 (JP) 11-21310

(51) **LOC (7) Cl.** **13-03**

(52) **U.S. Cl.** **D13/133**

(58) **Field of Search** D13/133, 146,
D13/147; 439/607-610

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D. 390,192 * 2/1998 Ono D13/147
- 5,002,504 * 3/1991 Carlson D13/133 X
- 5,017,156 * 5/1991 Sugiyama 439/607

- 5,415,566 * 5/1995 Bruner et al. 439/608
- 6,012,948 * 1/2000 Wu 439/607 X
- 6,086,421 * 7/2000 Wu et al. 439/607
- 6,168,466 * 1/2001 Chiou 439/607
- 6,168,467 * 1/2001 Chiou 439/607
- 6,193,552 * 2/2001 Chiou et al. 439/607

* cited by examiner

Primary Examiner—Joel Sincavage

(74) *Attorney, Agent, or Firm*—Ladas & Parry

(57) **CLAIM**

The ornamental design for a connector, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a connector showing our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a top view thereof;

FIG. 5 is a bottom view thereof;

FIG. 6 is a right side view thereof; and,

FIG. 7 is a left side view thereof.

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

