



US00D443725S

(12) **United States Design Patent**
Copland et al.

(10) **Patent No.:** **US D443,725 S**

(45) **Date of Patent:** **** Jun. 12, 2001**

(54) **BEARD AND MUSTACHE TRIMMER**

OTHER PUBLICATIONS

(75) Inventors: **Duncan Copland**, Newtown, PA (US);
Jason Long, Morrison, IL (US)

Brochure for Norelco Professional Hairstyling Clipper,
1997.

Packaging for "Roger" hair clipper, no date avail.

(73) Assignee: **Wahl Clipper Corporation**, Sterling,
IL (US)

Primary Examiner—Ted Shooman

Assistant Examiner—C. Tuttle

(**) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Greer, Burns & Crain, Ltd.

(21) Appl. No.: **29/098,951**

(57) **CLAIM**

(22) Filed: **Jan. 8, 1999**

The ornamental design for a beard and mustache trimmer, as
shown and described.

(51) **LOC (7) Cl.** **28-03**

DESCRIPTION

(52) **U.S. Cl.** **D28/53**

(58) **Field of Search** D28/49-54; 30/30,
30/31, 34.05, 34.1, 34.2, 42, 43, 43.1-43.91,
43.92, 44, 45, 195-204, 208-210, 216-221

FIG. 1 is a top and rear perspective view the present new
design of a beard and mustache trimmer, with the head
rotated to a first position;

FIG. 2 is a front view of the beard and mustache trimmer of
FIG. 1, except this view is shown without the blade;

FIG. 3 is a bottom thereof;

FIG. 4 is a front view of FIG. 1;

FIG. 5 is a bottom view thereof;

FIG. 6 is a side view thereof, the opposite side being a mirror
image of the side shown;

FIG. 7 is a top view thereof;

FIG. 8 is a rear view thereof;

FIG. 9 is a top and rear perspective view showing the design
with the head rotated to a second position (which is 180°
from the first position);

FIG. 10 is a front view of FIG. 9, except this view is shown
without the blade;

FIG. 11 is a front view of the trimmer of FIG. 9;

FIG. 12 is a bottom view thereof;

FIG. 13 is a side elevational view thereof, the opposite side
being a mirror image of the side shown;

FIG. 14 is a top view thereof; and,

FIG. 15 is a rear view thereof.

The broken lines in the figures showing the blade and the
blade mounting structure form no part of the claimed design.
The broken line showing the blade and underlying structures
is for illustrative purposes only and forms no part of the
claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS


D. 196,504	*	10/1963	Andis	D28/53
D. 199,675		12/1964	Dreyfuss	D22/3
D. 214,414		6/1969	Madl	D95/3
D. 219,902	*	2/1971	Walton et al.	D28/53
D. 283,736	*	5/1986	Wahl et al.	D28/53
D. 295,684		5/1988	Muller	D28/44
D. 305,074	*	12/1989	Mockovak	D28/53
D. 306,917		3/1990	Terasawa et al.	D28/53
D. 353,021		11/1994	Newman	D28/50
D. 360,054		7/1995	Kip	D28/51
D. 365,174		12/1995	Ching	D28/50
D. 369,230		4/1996	Bone	D28/53
D. 369,436		4/1996	Barker	D28/53
D. 383,247		9/1997	Schulz	D28/50
D. 383,566		9/1997	Bone	D28/50
D. 386,822		11/1997	Van Scoyoc et al.	D28/49
D. 408,586	*	4/1999	Nielsen et al.	D28/53

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

54-100860		8/1979	(JP)	.
54-140656		11/1979	(JP)	.

1 Claim, 4 Drawing Sheets



US D443,725 S

Page 2

U.S. PATENT DOCUMENTS				
		5,539,984	7/1996	Ikuta et al. 30/43.92
2,309,175	* 1/1943	Doggett	30/197
3,589,007	* 6/1971	Walton	30/208 X
4,622,745	* 11/1986	Wahl	30/201
5,459,927	10/1995	Kauer et al.	30/43.1
		5,970,616	* 10/1999	Wahl et al. 30/216
		6,079,103	* 6/2000	Melton et al. 30/43.92

* cited by examiner




FIG. 1

FIG. 3




FIG. 2




FIG.4




FIG.5




FIG.6



FIG.7




FIG.8




FIG.9




FIG.10




FIG.11




FIG.12




FIG.13




FIG.14




FIG.15

