

US00D443743S

(12) **United States Design Patent** (10) **Patent No.:** **US D443,743 S**
Edwards et al. (45) **Date of Patent:** **** Jun. 12, 2001**

(54) **LIGHTWEIGHT IRON**

(75) Inventors: **Mark Edwards; Robin Chu**, both of
San Francisco, CA (US); **Martin**
Brady, Chesterfield, VA (US)

(73) Assignee: **Hamilton Beach/Proctor-Silex, Inc.**,
Glen Allen, VA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/121,851**

(22) Filed: **Apr. 14, 2000**

(51) **LOC (7) Cl.** **07-05**

(52) **U.S. Cl.** **D32/70**

(58) **Field of Search** D32/68, 69, 70;
38/77.1, 77.2, 77.3, 77.4, 77.5, 74, 69,
79, 77.8, 77.7, 88; 219/245, 254, 273, 275

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 302,061	7/1989	Barrault .
D. 310,439	9/1990	Klok .
D. 315,238	3/1991	Tien-Lai .
D. 315,433	3/1991	Chen .
D. 326,547	5/1992	Osit .
D. 326,548	5/1992	Barrault .
D. 326,940	6/1992	Barrault .
D. 329,725	9/1992	Klok .
D. 340,329	10/1993	Barrault .
D. 349,986	8/1994	Correa .
D. 353,246	12/1994	Kameda .
D. 353,694	12/1994	Vildosola .
D. 356,196	3/1995	Bannigan .
D. 361,184	8/1995	Casuso Fuente .
D. 364,950	12/1995	Classen .
D. 365,184	12/1995	deBlois et al. .
D. 366,544	1/1996	Choi .
D. 367,138	2/1996	Laborda .
D. 369,003	4/1996	Figur .
D. 369,005	4/1996	Stutzer et al. .
D. 369,890	5/1996	Reibl .
D. 370,103	5/1996	Gudefin .
D. 370,104	5/1996	Gudefin .

D. 373,871	9/1996	Naft et al. .
D. 373,872	9/1996	Sham .
D. 374,322	10/1996	Maeda et al. .
D. 374,527	10/1996	Gudefin .
D. 374,956	10/1996	Hsu .
D. 376,233	12/1996	Clouet .
D. 376,234	12/1996	Hensel et al. .
D. 379,702	6/1997	Gudefin et al. .
D. 385,075	10/1997	Naft et al. .
D. 386,863	11/1997	Lin .
D. 388,574	12/1997	Clouet .
D. 388,920	1/1998	Nitsch .
D. 389,622	1/1998	Dziersk .
D. 389,627	1/1998	Stutzer et al. .
D. 389,967	1/1998	Hensel et al. .
D. 389,969	1/1998	Dziersk .
D. 391,721	3/1998	Kondo et al. .
D. 393,509	4/1998	Gudefin .

(List continued on next page.)

Primary Examiner—Cynthia E Ramirez

(74) *Attorney, Agent, or Firm*—Roger Dybvig


(57) **CLAIM**

The ornamental design for a lightweight iron, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the lightweight iron;
FIG. 2 is a bottom perspective view of the lightweight iron shown in FIG. 1;
FIG. 3 is a front end view of the lightweight iron shown in FIG. 1;
FIG. 4 is a rear end view of the lightweight iron shown in FIG. 1;
FIG. 5 is a top plan view of the lightweight iron shown in FIG. 1;
FIG. 6 is a bottom plan view of the lightweight iron shown in FIG. 1;
FIG. 7 is a left side view of the lightweight iron shown in FIG. 1;
FIG. 8 is a right side view of the lightweight iron shown in FIG. 1.

1 Claim, 5 Drawing Sheets



US D443,743 S

Page 2

U.S. PATENT DOCUMENTS			
D. 401,706	11/1998	Gudefin .	
D. 402,779	12/1998	Gudefin .	
D. 406,933	3/1999	Leverrier .	
D. 409,807	5/1999	Kondo .	
D. 413,005	8/1999	Taylor .	
D. 416,655	11/1999	Lin .	
D. 418,648	1/2000	Gudefin .	
D. 419,274	1/2000	Choi .	
D. 423,162	* 4/2000	Sugimoto et al.	D32/70
D. 428,541	* 7/2000	Bas	D32/70
D. 431,339	* 9/2000	Stutzer et al.	D32/70
* cited by examiner			




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8