



US00D443842S

(12) **United States Design Patent**
Kuwabara

(10) **Patent No.:** **US D443,842 S**

(45) **Date of Patent:** **** *Jun. 19, 2001**

(54) **ELECTRO-MAGNETIC SOUND GENERATOR**

(75) **Inventor:** **Atsushi Kuwabara, Yamanashi-ken (JP)**

(73) **Assignee:** **Citizen Electronics Co., Ltd, Yamanashi-Ken (JP)**

(*) **Notice:** This patent is subject to a terminal disclaimer.

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/101,325**

(22) **Filed:** **Mar. 1, 1999**

(51) **LOC (7) Cl.** **10-05**

(52) **U.S. Cl.** **D10/116; D14/240**

(58) **Field of Search** D10/104, 106, D10/116, 118, 121; D13/184, 199; D14/140, 240, 100, 107, 217; 340/392.1, 542, 392.3, 388.1, 392.2, 392.5, 396.1, 384.6, 384.7, 384.72, 388.6; 361/600, 679, 724, 829; 368/250; 381/386; 379/433

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 201,593	*	7/1965	Stevenson	D10/118
D. 258,577	*	3/1981	Bottner	D10/106
D. 272,993	*	3/1984	Chan	D10/106
D. 285,667	*	9/1986	Tanaka et al.	D10/106
D. 339,544	*	9/1993	Sone	D10/116
D. 350,705	*	9/1994	Sone	D10/116
D. 371,312	*	7/1996	Suzuki	D10/116
D. 375,275	*	11/1996	Suzuki	D10/116
D. 389,765	*	1/1998	Imahori	D10/116

D. 405,022	*	2/1999	Imahori	D10/116
D. 410,210	*	5/1999	Akasaki	D10/116
D. 410,211	*	5/1999	Murano	D10/116
D. 411,127	*	6/1999	Kuwabara	D10/116
D. 415,975	*	11/1999	Imahori	D10/116
3,742,493	*	6/1973	Berne	340/388.1
3,866,203	*	2/1975	Berns	340/542
4,115,770	*	9/1978	Kanazawa	340/392.3
4,330,878	*	5/1982	Nakamura	368/250
4,366,472	*	12/1982	Ishii	340/392.2
6,061,459	*	5/2000	Kobayashi et al.	381/386

* cited by examiner

Primary Examiner—Jeffrey Asch

(74) *Attorney, Agent, or Firm*—Browdy & Neimark

(57) **CLAIM**

The ornamental design for a electro-magnetic sound generator, substantially as shown and described.

DESCRIPTION

The device of the present design is a sounding device for a wireless portable telephone or other portable device used in a radio communication system or the like. Thus, when a calling signal is received by the wireless portable telephone, the electro-magnetic sound generator operates and generates a sound for announcing the call.

FIG. 1—Perspective view of the electro-magnetic sound generator;

FIG. 2—Front view thereof;

FIG. 3—Plan view thereof;

FIG. 4—Base view thereof;

FIG. 5—Right side view thereof;

FIG. 6—Left side view thereof; and,

FIG. 7—Back side view thereof.

1 Claim, 3 Drawing Sheets




Fig. 1




Fig. 3




Fig. 2




Fig. 4




Fig. 5



Fig. 6




Fig. 7

