



US00D443878S

(12) **United States Design Patent**  
**Sakata et al.**

(10) **Patent No.:** **US D443,878 S**

(45) **Date of Patent:** **\*\* Jun. 19, 2001**

(54) **IMAGE INPUT DEVICE**

(75) Inventors: **Osamu Sakata**, Yokohama; **Kazuaki Sakuta**, Kawasaki, both of (JP)

(73) Assignee: **Canon Kabushiki Kaisha**, Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/127,096**

(22) Filed: **Aug. 1, 2000**

(30) **Foreign Application Priority Data**

Feb. 18, 2000 (JP) ..... 12-008159

(51) **LOC (7) Cl.** ..... **14-02**

(52) **U.S. Cl.** ..... **D14/422**

(58) **Field of Search** ..... D14/421, 422,  
D14/368, 424, 425, 462; D18/36, 37, 39,  
54; 250/556; 355/64, 65, 75, 81

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D. 328,600 \* 8/1992 Yomo ..... D14/462  
D. 337,607 \* 7/1993 Ito et al. .... D18/54

D. 368,256 \* 3/1996 Stropkay et al. .... D14/420  
D. 391,940 3/1998 Sakata ..... D16/213  
D. 395,872 7/1998 Sakata ..... D14/368  
D. 413,585 \* 9/1999 Sakuta et al. .... D14/422

\* cited by examiner

*Primary Examiner*—Freda Nunn

(74) *Attorney, Agent, or Firm*—Fitzpatrick, Cella, Harper & Scinto

(57) **CLAIM**

The ornamental design for an image input device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of an image input device showing our new design;

FIG. 2 is a rear view thereof;

FIG. 3 is a top plan view thereof;


FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side view thereof;


FIG. 6 is a right side view thereof; and,

FIG. 7 is a perspective view thereof.


**1 Claim, 4 Drawing Sheets**




*FIG. 1*




*FIG. 2*




*FIG. 3*




*FIG. 4*



*FIG. 5*



*FIG. 6*



*FIG. 7*

