



US00D444007S

(12) **United States Design Patent**  
**Wu**

(10) **Patent No.:** **US D444,007 S**

(45) **Date of Patent:** **\*\* Jun. 26, 2001**

(54) **SEAT**

5,161,854 \* 11/1992 Yokoto et al. .... 297/452.16  
6,203,104 \* 3/2001 Matsuo et al. .... 297/391

(75) Inventor: **Donald P. H. Wu**, Hsinchu Hsien (TW)

\* cited by examiner

(73) Assignee: **Pihsiang Machinery Co., Ltd.**,  
Hsinchu Hsien (TW)

*Primary Examiner*—Doris V. Coles

*Assistant Examiner*—Mimosa De

(\*\*) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Pro-Techtor International  
Services

(21) Appl. No.: **29/126,840**

(57) **CLAIM**

(22) Filed: **Jul. 24, 2000**

The ornamental design for a seat, as shown and described.

(51) **LOC (7) Cl.** ..... **06-06**

**DESCRIPTION**

(52) **U.S. Cl.** ..... **D6/500; D6/356**

(58) **Field of Search** ..... D6/334, 335, 336,  
D6/356, 367, 368, 374, 380, 500–502;  
297/218.1, 284.3, 311, 325, 352–353, 354.1,  
378.1, 391, 452.1, 452.13, 452.18, 452.32

FIG. 1 is a front elevational view of a seat showing my new  
design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a left side elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof; and,

FIG. 7 is a top, right, and front perspective view thereof.


The broken lines shown in all views of the drawing represent  
stitching.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 251,997 \* 6/1979 Pelly ..... D6/356
- 4,222,608 \* 9/1980 Maeda ..... 297/391
- 4,401,343 \* 8/1983 Schmidt ..... 297/353
- 4,834,455 \* 5/1989 Proctor ..... 297/452.32

**1 Claim, 4 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7