



US00D444131S

(12) **United States Design Patent**
Pinchuk

(10) **Patent No.:** **US D444,131 S**

(45) **Date of Patent:** **** Jun. 26, 2001**

(54) **CONTROL DEVICE**

(76) **Inventor:** **Rene C. Pinchuk**, 520 Coventry Rd.,
Kensington, CA (US) 94707

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/094,096**

(22) **Filed:** **Sep. 25, 1998**

(51) **LOC (7) Cl.** **13-03**

(52) **U.S. Cl.** **D13/168**

(58) **Field of Search** D10/106; D13/168,
D13/171; D14/191, 218; 340/825.69, 825.72;
455/128, 151.2

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D. 285,668 * 9/1986 Tanaka et al. D10/106
- D. 303,137 * 8/1989 Brown D10/106
- D. 381,280 * 7/1997 Tomiyama et al. D13/168

D. 393,628 * 4/1998 Ledbetter et al. D13/168

* cited by examiner

Primary Examiner—Adir Aronovich



(57) **CLAIM**

The ornamental design for a control device, as shown.

DESCRIPTION

FIG. 1 is a front perspective view of a control device showing my new design;
 FIG. 2 is a rear perspective view thereof;
 FIG. 3 is a side elevation view of one side thereof;
 FIG. 4 is a side elevational view of the other side thereof;
 FIG. 5 is a top plan view thereof;
 FIG. 6 is a bottom plan view thereof;
 FIG. 7 is a front elevational view thereof; and,
 FIG. 8 is a rear elevational view thereof.

1 Claim, 4 Drawing Sheets






FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4



FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8