



US00D444163S

(12) **United States Design Patent**
Yoshida

(10) **Patent No.:** **US D444,163 S**
(45) **Date of Patent:** **** Jun. 26, 2001**

(54) **ELECTRONIC STILL CAMERA**

(75) Inventor: **Koji Yoshida**, Tokyo (JP)

(73) Assignee: **Fuji Photo Film Co., Ltd.**, Kanagawa (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/131,333**

(22) Filed: **Oct. 20, 2000**

(30) **Foreign Application Priority Data**
Apr. 24, 2000 (JP) 12-010723

(51) **LOC (7) Cl.** **16-01**

(52) **U.S. Cl.** **D16/202; D16/206**

(58) **Field of Search** D16/200–206,
D16/208, 217, 218; 348/373–376; 358/906,
909.1; 396/535–541

(56) **References Cited**
U.S. PATENT DOCUMENTS
D. 314,582 * 2/1991 Minakawa et al. D16/217
D. 387,079 12/1997 Horikiri D16/217
D. 388,110 * 12/1997 Watarai et al. D16/217
D. 408,040 * 4/1999 Miyahara D16/202

D. 425,095 * 5/2000 Watarai et al. D16/217
4,945,372 * 7/1990 Higuchi et al. 396/61

* cited by examiner

Primary Examiner—Adir Aronovich
(74) *Attorney, Agent, or Firm*—Young & Thompson

(57) **CLAIM**

The ornamental design for an electronic still camera, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and side perspective view of an electronic still camera showing by new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is bottom plan view thereof;
FIG. 6 is a side elevational view thereof from the right of FIG. 2;
FIG. 7 is side elevational view thereof from the left of FIG. 2;
FIG. 8 is a view similar to FIG. 1 but with the parts in a different position; and,
FIG. 9 is a view similar to FIG. 6 but with the parts in a different position.

1 Claim, 5 Drawing Sheets




FIG. 1







FIG. 2




F I G . 3




F I G . 4




F I G. 5




F I G. 6



F I G . 7



F I G . 8



F I G . 9

