



US00D444364S

(12) **United States Design Patent**
Evans

(10) Patent No.: **US D444,364 S**

(45) Date of Patent: **** Jul. 3, 2001**

(54) **ROUTER**

(75) Inventor: **D. Scott Evans**, Cockeysville, MD (US)

(73) Assignee: **Black & Decker Inc.**, Newark, DE (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/124,680**

(22) Filed: **Jun. 9, 2000**

(51) **LOC (7) Cl.** **08-01**

(52) **U.S. Cl.** **D8/67**

(58) **Field of Search** D8/61-70; 81/57.11, 81/54, 57.42; 173/170, 217, 169, 216, 213, 164; 451/357-359, 344; 310/50; 409/182; 144/154.5, 136.95, 252.1

(56) **References Cited**

U.S. PATENT DOCUMENTS

Re. 33,045	*	9/1989	Gronholz et al.	144/154.5
D. 262,185		12/1981	Huber et al. .	
D. 270,515		9/1983	Dunlap .	
D. 273,079		3/1984	Ibaraki .	
D. 281,218		11/1985	Barrett et al. .	
D. 283,590		4/1986	Ibaraki .	
D. 286,131		10/1986	Yamamoto .	
D. 286,132		10/1986	Yamamoto .	
D. 295,253		4/1988	Ashworth .	
D. 305,896		2/1990	Miyamoto .	
D. 307,104		4/1990	Monobe et al. .	
D. 340,174		10/1993	Hoshino et al. .	
D. 341,305		11/1993	Svetlik .	
D. 349,637		8/1994	Hoshino et al. .	
D. 349,789		8/1994	Bunyea .	
D. 406,034		2/1999	Katsapis .	
D. 410,934		6/1999	Etter .	
D. 416,460		11/1999	Bosten et al. .	
3,363,510		1/1968	Burrows et al. .	
3,581,787		6/1971	Bane .	
4,051,880	*	10/1977	Hestily	144/252.1
4,445,811	*	5/1984	Sanders	409/182
4,938,264		7/1990	Ferenczffy .	

4,938,642	7/1990	Imahashi et al. .	
5,004,385	4/1991	Kishi .	
5,207,253	*	5/1993	Hoshino et al. 144/136.95
5,293,915	3/1994	Fuchs et al. .	

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

M9205807	12/1992	(DE) .
M9401763	8/1994	(DE) .
M9610946	5/1997	(DE) .
DM/003 792	5/1984	(XH) .

Primary Examiner—Jeffrey Asch
(74) Attorney, Agent, or Firm—Bruce S. Shapiro; Michael P. Leary


(57) **CLAIM**

The ornamental design for a router, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a router showing a first embodiment of my new design.
FIG. 2 is a front elevational view of the first embodiment.
FIG. 3 is a rear elevational view of the first embodiment.
FIG. 4 is a left side elevational view of the first embodiment.
FIG. 5 is a right side elevational view of the first embodiment.
FIG. 6 is a top plan view of the first embodiment.
FIG. 7 is a bottom plan view of the first embodiment.
FIG. 8 is a perspective view of a router showing a second embodiment of my new design.
FIG. 9 is a front elevational view of the second embodiment.
FIG. 10 is a rear elevational view of the second embodiment.
FIG. 11 is a left side elevational view of the second embodiment. FIG. 12 is a right side elevational view of the second embodiment.
FIG. 13 is a top plan view of the second embodiment; and, FIG. 14 is a bottom plan view of the second embodiment.
The tiny circular broken line showings on the electric cord mount in FIGS. 6 and 13 and on the router bit holder in 7 and 14 are for illustrative purposes only and form no part of the claimed design.

1 Claim, 14 Drawing Sheets



U.S. PATENT DOCUMENTS			
5,308,201	*	5/1994	Wilson et al. 409/134
5,310,296	*	5/1994	McCurry 409/182
5,353,852	*	10/1994	Stolzer et al. 144/154.5
5,613,813		3/1997	Winchester et al. .
5,671,789		9/1997	Stolzer et al. .
5,678,965		10/1997	Strick .
5,921,730	*	7/1999	Young et al. 409/182
5,988,241	*	11/1999	Bosten et al. 144/154.5
6,024,144	*	2/2000	Qian 144/252.1
6,139,229	*	10/2000	Bosten et al. 409/182
* cited by examiner			




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14