



US00D444429S

(12) **United States Design Patent**  
**Vinasse**

(10) **Patent No.:** **US D444,429 S**

(45) **Date of Patent:** **\*\* Jul. 3, 2001**

(54) **TIRE TREAD**

(75) **Inventor:** **Eric Philippe Vinasse**, Simpsonville, SC (US)

(73) **Assignee:** **Michelin Recherche et Technique S.A.** (CH)

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/123,275**

(22) **Filed:** **May 15, 2000**

(51) **LOC (7) Cl.** ..... **12-15**

(52) **U.S. Cl.** ..... **D12/147**

(58) **Field of Search** ..... D12/134-152;  
152/209.1, 209.9, 209.18, 209.27

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D. 369,764	*	5/1996	Himuro et al.	.....	D12/147
D. 379,338	*	5/1997	Guspodin et al.	.....	D12/147
D. 400,134	*	10/1998	Sato et al.	.....	D12/147
D. 412,470	*	8/1999	Downey	.....	D12/141
D. 415,984	*	11/1999	Allison et al.	.....	D12/147
D. 423,424	*	4/2000	Ikeda	.....	D12/147
D. 424,987	*	5/2000	Vinasse	.....	D12/147

**OTHER PUBLICATIONS**

Bridgestone Potenza RE900 Tire, Tread Design Guide, p. 14. 4/3, Jan. 1999.\*  
 Pirelli P6000 Tire, Tread Design Guice, p. 58. 3/3, Jan. 1999.\*  
 Toyo Spectrum Tire, Tread Design Guide, p. 72. 4/4, Jan. 1999.\*  
 Tread Design Guide 1999, p. 37, Goodyear Regatta (SR Rated).

Tread Design Guide 1999, p. 37, GT Tire USA Champiro—60.

Tread Design Guide 1999, p. 37, GT Tire USA Champiro—65.

Tread Design Guide 1999, p. 13, Avon CR55 Winter (HR Rated).

Tread Design Guide 1999, p. 73, Ultra-Tech Aqua-Tech.

Tread Design Guide 1999, p. 57, OHTSU HS200 (HR Rated).

Tread Design Guide 1997, p. 13, AURORA 868.

Tread Design Guide 1997, p. 14, BRIDGESTONE Turanza H.

Tread Design Guide 1997, p. 29, FEDERAL Super Steel 731.

Tread Design Guide 1997, p. 56, NATIONAL Akuret GT.

\* cited by examiner

*Primary Examiner*—Robert M. Spear

(74) *Attorney, Agent, or Firm*—Martin Farrell; Alan A. Csontos; Robert R. Reed

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.


**DESCRIPTION**

FIG. 1 is a perspective view of a tire tread showing my new design, it being understood that the tread pattern repeats uniformly throughout the outer surface and shoulder circumference the tire tread, the opposite side perspective view being identical thereto; and,


FIG. 2 is an enlarged fragmentary front elevation view of the tire tread thereof.

The broken line disclosure of the tire sidewall and inner bead is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 2 Drawing Sheets**








*Fig. 1*





*Fig. 2*